

RAMSHOT LOAD GUIDE

EDITION 4.5



RAMSHOT
RELOADING POWDERS

TRIGGER YOUR INSTINCTS



INCLUDES:

- The most up-to-date and comprehensive 223 data available
- New data for: 30 AR, 30 T/C, and 6mmx45



**WARNINGS**

This guide is intended to be used as a reference. Each individual handloader must determine what is the best and safest load for their equipment. The loads described in this guide were generated at the ballistics test facilities of Western Powders, Inc. in accordance with SAAMI (Shooting Arms and Ammunition Institute) guidelines. All loads are fired through test barrels and individual results fired through different firearms may vary. The handloader is cautioned to read and follow safe reloading practices such as those outlined in the NRA Guide to Reloading before attempting to reload any cartridge.

DISCLAIMER

Western Powders, Inc. has developed this guide to provide the handloader with current data for reloading Ramshot powders. This guide is not intended to be a reloading textbook, but rather a list of recommended loads for Ramshot powders. As Western Powders, Inc. has no control over the actual reloading procedures and methods being used, or the condition or choice of firearms and components used, no responsibility for the use of this data is implied or assumed. The buyer/user assumes full responsibility, risk, and liabilities for all injuries (including death), damages, and/or losses to persons or properties resulting from the use / misuse of this product. The ballistics data contained in this guide was obtained at Western Powders' ballistics facilities under strictly controlled conditions and is applicable ONLY for Ramshot powders. It is important to remember that equipment variations, different reloading techniques, as well as component variations will most likely yield slightly different ballistics data. With this in mind, it is imperative that you do not exceed the maximum charge recommendations in this guide and that you always start loading with the minimum powder charges in the loads illustrated.

POWDER WARNINGS

Smokeless powder is intended to function by burning. Therefore, it must be protected from exposure to flame, sparks, high temperatures and the sun's rays. When ignited, smokeless powder will normally continue to burn (and generate gas pressure) until the powder is entirely consumed. With this in mind:

1. **NEVER MIX OR SUBSTITUTE powders with other powders;**
2. Avoid open flames, combustible agents, and any spark-producing tools when handling powders;
3. Store powder in its original container in a cool / dry place;
4. Do not keep or use old or salvaged powders;
5. Check powder for deterioration on a regular basis. Deteriorated powder is detected by its noxious odor (not to be confused with solvents such as alcohol or ether).
6. Pour out only the amount of powder necessary for the application being conducted;
7. If you accidentally spill powder, use a broom and dust pan to clean it up. **DO NOT VACUUM** the spilled powder;
8. Do not stockpile powder - store and utilize the amount of powder necessary for your current reloading needs;
9. Be certain that the powder container is empty prior to discarding.

COMPONENT WARNINGS

Primers

1. **NEVER MIX PRIMERS** of different makes;
2. Store primers in their original packaging(s) in a cool, dry place. Exposure to heat causes primer deterioration;
3. Do not stockpile primers or store in bulk. Storing primers in this manner can lead to mass detonation if a primer ignites;
4. Do not de-cap live or new primers - fire them in the appropriate gun and then de-cap;
5. For best results, use the mildest primer consistent with good ignition;
6. Do not force primers. If there is resistance in seating or feeding primers, stop and investigate the cause of the problem;
7. Clean your hands before and after handling primers - oil contamination can affect the ignitability of the primer.

QUALITY CONTROL

Reloading provides an individual with a cost effective means of obtaining ammunition, while at the same time allowing for custom load assemblage. You, the individual handloader, are responsible for producing the ammunition that you will later shoot. The caution and diligence you put into your reloading process can be ultimately rewarding or disastrous depending upon the quality of your work.

1. Common sense and care must be practiced during all phases;
2. Follow load recommendations exactly.
3. **ALWAYS START LOADING WITH THE MINIMUM POWDER CHARGE SHOWN;**
4. Designate a work area to be used only for reloading and keep that area clean and orderly;
5. Label components and reloads for quick and easy identification;
6. Develop a reloading routine and follow it;
7. Understand what you are doing and why it must be done in a specific manner; Never reload when you are tired or distracted;
8. Wear safety glasses when reloading;
9. **DO NOT** smoke, eat, or drink in your reloading area or while you are reloading;
10. Keep your powder, reloading equipment and firearms secure from children;
11. Obey all laws and regulations regarding purchasing, quantity, and storage of powder(s).
12. When the case fill is less than 50% extreme care should be taken to avoid the possibility of double charging. Always check every round.

NOTE:

**THIS DATA SUPERSEDES
ALL PREVIOUS RAMSHOT
LOAD DATA.**

Always use the latest load data



PO Box 158 • Top of Yellowstone Hill
Miles City, Montana 59301
406-234-0422 • www.ramshot.com

For loads not listed in this guide and the latest updates,
visit our website at:

www.ramshot.com

RAMSHOT POWDERS



COMPANY ABBREVIATIONS

AK	Alaska Bullet Company	HWK	Hawk	REM	Remington
BAR	Barnes	LC	Laser Cast	RSH	Rushmore
BRGR	Berger	LYM	Lyman	SIE	Sierra
BRY	Berry's	MCB	Montana Cast Bullets	SF	SinterFire
CP	Cast Performance	MTB	Mount Baldy	SPR	Speer
FED	Federal	MTG	Montana Gold	TS	True Shot
GS	GS Custom Bullets	NOS	Nosler	WC	West Coast
HDY	Hornady	OT	Oregon Trail	WDL	Woodleigh
		RAN	Rainier	WIN	Winchester

PRIMER ABBREVIATIONS

SP	Small Pistol	LP	Large Pistol	SRM	Small Rifle Magnum
SPM	Small Pistol Magnum	LPM	Large Pistol Magnum	LR	Large Rifle
		SR	Small Rifle	LRM	Large Rifle Magnum

BULLET ABBREVIATIONS

A-BOND	Accubond	JHC	Jacketed Hollow Cavity	SS	Semispitzer
AF	A Frame	JHP	Jacketed Hollow Point	SSP	Single Shot Pistol
BB	Broad Base	JRN	Jacketed Round Nose	SPT	Spitzer
BK	Blitz King	JSP	Jacketed Soft Point	SPT-V	Spitzer Varmint
BND	Bonded	JSWC	Jacketed Semi Wadcutter	SST	Super Shock Tipped
BND-S	Banded Solid	KSPB	Keith Style Pistol Bullet	SWC	Semi Wadcutter
BS	Ballistic Siver Tip	LFNGC	Long Flat Nose Gas Check	TAC-XP	Tactical Bullets M/LE
B-TIP	Ballistic Tip	LFNPB	Long Flat Nose Plane Base	TC	Truncated Cone
BTSP	Boat Tail Spire Point	(L)	Lead	TCBB	Truncated Cone Beveled Base
BTT	Boat Tail Target	LTB	Length Tolerant Bullet	TMJ-FN	Total Metal Jacket - Flat Nose
DBB	Double Bevel Base	(M)	Moly Coated	T-TSX	Tipped TSX
CT	Combined Technologies	MK	Match King	TSX	Triple Shock
DEWC	Double End Wadcutter	Match-V	Match Varmint	TSX-FB	Triple Shock Flat Base
FBHP-V	Flat Base Hollow Point Varmint	NTP	Narrow Taper Point	VAR	Varminator
FB	Flat Base	MRX	Maximum Range X Bullet	VG	Varmint Grenade
FMC	Full Metal Case	PART	Partition	VNE	Varmint Nightmare Extreme
FMJ	Full Metal Jacket	PLF	Plated Lead Free	VLD	Very Low Drag
FN	Flat Nose	PRO-H	Pro-Hunter	WBFPGC	Wide Base Flat Point Gas Check
FP	Flat Point	RHFP	Reduced Hazard Flat Point	WC	Wadcutter
FPJ	Full Profile Jacket	RNDS	Round Nose Double Strike	WFNGC	Wide Flat Nose Gas Check
FS	Fail Safe	RN	Round Nose	WFNPB	Wide Flat Nose Plane Base
GC	Gas Check	RNFP	Round Nose Flat Point	WFPGC	Wide Flat Point Gas Check
GD	Gold Dot	RNSWC	Round Nose Semi Wadcutter	WLCPP	Weldcore Protected Point
GDHP	Gold Dot Hollow Point	RS	Radiused Shoulder	WLNGC	Wide Long Nose Gas Check
GK	Game King	SBT	Spitzer Boat Tail	WNFPGC	Wide Nose Flat Point Gas Check
GS	Golden Sabre	SGG	Single Grease Groove	WNGC	Wide Nose Gas Check
HB	Hollow Base	SLD	Solid	WTP	Wide Taper Point
HP	Hollow Point	SMP	Semi Point	X	X Bullet
HPBT	Hollow Point Boat Tail	SP	Spire Point	XBT	X Boat Tail
HPBT-CC	Hollow Point Boat Tail Custom competition	SPH	Soft Point Hornet	XFB	X Flat Base
HSP	Hollow Soft Point	SPHJ	Soft Point Heavy Jacket	XPB	X Pistol Bullet
INTK	Interlock	SPSX	Spire Point Super Explosive	XTP	Extreme Terminal Performance

Western Powders would like to thank the following companies for their continued support in our efforts to provide this information:

- Barnes Bullets, Inc.
- Berger Bullets
- Berry's Manufacturing
- Cast Performance Bullet Company
- Claybuster Wads
- Federal Cartridge
- Hornady
- Montana Cast Bullets
- Montana Gold
- Nosler
- Oregon Trail Bullet Company
- Rainier Bullets
- Remington
- Sierra Bullets
- Swift Bullets
- Winchester
- Woodleigh Bullets

SPECIAL NOTE ON CARTRIDGE OVERALL LENGTH "COL"

It is important to note that the SAAMI "COL" values are for the firearms and ammunition manufacturers industry and must be seen as a guideline only.

The individual reloader is free to adjust this dimension to suit their particular firearm-component-weapon combination.

This parameter is determined by various dimensions such as 1) magazine length (space), 2) freebore-lead dimensions of the barrel, 3) ogive or profile of the projectile and 4) position of cannelure or crimp groove.

- **Always begin loading at the minimum "Start Load".**
- **Increase in 2% increments towards the Maximum Load.**
- **Watch for signs of excessive pressure.**
- **Never exceed the Maximum Load.**

RAMSHOT



POWDERS

HANDGUN

HANDGUN

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
------------------------	-------------	-------------	---------------------	----------------------	-------------------	-------------------------	-------------------------	------------

5.7x28 FN

Barrel: 5" ■ Twist: 1-9" ■ Primer: WIN WSR or WSP ■ Bullet Diameter .224"

Jacketed Bullets

Shorter Bullets

True Blue	35	HDY	V-MAX FB	5.7	1,923	6.4	2,007	45,500	1.491
True Blue	40	SIE	SPH	5.6	1,813	6.3	1,961	45,300	1.456
True Blue	45	SIE	SPH	5.4	1,700	6.1	1,858	45,600	1.490

Longer Bullets

True Blue	40	HDY	V-MAX	5.0	1,660	5.6	1,850	48,800	1.580
True Blue	45	SIE	SPT	4.8	1,562	5.4	1,725	46,200	1.580

Special notes on the 5.7x28FN

- 1) Extremely sensitive caliber. Adhere closely to indicated loads and COL guidelines
- 2) Begin at the MINIMUM start load and increase only in increments of 0.1 grain
- 3) Use of Small Pistol primers will result in slightly lower performance.
- 4) Velocities with the 10" barrel will be approximately 18% higher.

327 Federal Magnum

Barrel: 5" ■ Twist: 1-16" ■ Primer: WIN WSP ■ Bullet Diameter .312"

Jacketed Bullets

True Blue	71	SIE	FMJ	8.7	1,636	9.7	1,818	43,890	1.486
True Blue	85	HDY	XTP	7.8	1,480	8.7	1,644	43,520	1.443
True Blue	90	SIE	JHC	7.7	1,431	8.5	1,590	43,150	1.500
True Blue	100	HDY	HP XTP	6.9	1,297	7.7	1,441	41,980	1.440
Enforcer	100	HDY	HP XTP	12.2	1,370	13.6	1,522	29,970	1.440

Lead Bullets

True Blue	78	LC	RN	8.1	1,572	9.0	1,747	42,520	1.454
True Blue	90	HDY	SWC	7.1	1,382	7.9	1,536	41,260	1.487
True Blue	115	LC	FP	6.3	1,209	7.0	1,343	41,330	1.500
Enforcer	115	LC	FP	11.5	1,343	12.8	1,492	34,930	1.500

380 Auto (ACP)

Barrel: 3.75" ■ Twist: 1-16" ■ Primer: WIN WSP ■ Bullet Diameter .355"

Jacketed Bullets

ZIP	90	HDY	HP XTP	2.7	800	3.4	980	18,500	0.965
ZIP	115	SIE	JHP	2.4	720	2.9	840	19,300	0.980
True Blue	90	HDY	HP XTP	3.7	800	4.5	960	18,700	0.965
True Blue	115	NOS	JHP	3.3	725	3.8	830	18,600	0.980

Copper Bullets

Competition	80	BAR	XPB	2.1	786	2.3	873	20,380	0.970
ZIP	80	BAR	XPB	2.3	776	2.6	862	20,090	0.970
True Blue	80	BAR	XPB	3.2	790	3.5	878	20,540	0.970
Silhouette	80	BAR	XPB	3.4	856	3.8	951	20,410	0.970

9mm Luger

Barrel: 4" ■ Twist: 1-10" ■ Primer: FED 100 ■ Bullet Diameter .355"

Jacketed Bullets

Competition	90	HDY	HP	3.1	1,035	4.1	1,175	32,964	1.070
Competition	115	NOS	JHP	3.0	877	3.6	992	34,774	1.077
Competition	115	SIE	FMJ	2.9	897	3.7	1,020	33,912	1.100
Competition	124	HDY	XTP-HP	2.4	795	3.0	898	34,722	1.060
Competition	124	REM	GS	3.0	854	3.5	964	34,710	1.145
Competition	124	SPR	GD	2.8	782	3.3	884	34,612	1.105
Competition	125	SIE	JHP	2.5	794	3.1	897	34,158	1.035
Competition	147	REM	BJHP	2.7	758	3.4	856	34,449	1.165
Competition	147	SPR	TMJ FN	2.4	688	2.8	777	32,759	1.130
ZIP	90	HDY	HP	4.4	1,128	5.1	1,280	34,911	1.070
ZIP	115	NOS	JHP	3.8	933	4.3	1,048	32,916	1.077
ZIP	115	SIE	FMJ	3.8	965	4.4	1,089	33,933	1.100
ZIP	124	HDY	XTP-HP	3.2	864	3.7	967	34,893	1.060
ZIP	124	REM	GS	3.9	935	4.6	1,055	34,880	1.145
ZIP	124	SPR	GD	3.7	870	4.2	979	34,218	1.105
ZIP	125	SIE	JHP	3.0	810	3.8	970	34,303	1.035
ZIP	147	REM	BJHP	3.4	805	3.9	911	34,651	1.165
ZIP	147	SPR	TMJ FN	3.1	762	3.5	857	34,533	1.130
True Blue	115	NOS	JHP	4.8	993	5.7	1,120	33,919	1.077
True Blue	115	SIE	FMJ	5.1	1,016	5.9	1,147	34,512	1.100
True Blue	124	REM	GS	5.4	1,015	6.2	1,145	34,632	1.145
True Blue	124	SPR	GD	5.0	948	5.7	1,075	34,906	1.105
True Blue	125	SIE	JHP	4.3	896	5.0	1,008	34,663	1.035
True Blue	147	REM	BJHP	4.4	854	5.2	970	34,946	1.165
True Blue	147	SPR	TMJ FN	4.1	826	4.7	932	34,554	1.130

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
------------------------	-------------	-------------	---------------------	----------------------	-------------------	-------------------------	-------------------------	------------

Silhouette	90	HDY	HP	5.8	1,195	6.8	1,352	34,089	1.070
Silhouette	115	NOS	JHP	4.7	1,006	5.7	1,136	34,211	1.077
Silhouette	115	SIE	FMJ	4.6	1,022	5.7	1,161	33,912	1.100
Silhouette	124	REM	GS	5.0	999	5.9	1,124	34,210	1.145
Silhouette	124	SPR	GD	4.7	953	5.5	1,074	34,113	1.105
Silhouette	125	SIE	JHP	4.3	944	5.0	1,050	34,061	1.035
Silhouette	147	REM	BJHP	4.4	878	5.2	993	34,106	1.165
Silhouette	147	SPR	TMJ FN	3.9	834	4.6	946	34,066	1.130

Lead Bullets

Competition	115	LC	RN	2.9	971	3.8	1,084	34,622	1.070
Competition	124	LC	RN	2.4	837	2.9	943	33,913	1.050
Competition	147	LC	RN	2.3	763	2.8	866	32,964	1.145
ZIP	115	LC	RN	3.6	991	4.2	1,117	33,842	1.070
ZIP	124	LC	RN	3.2	920	3.7	1,035	34,722	1.050
ZIP	147	LC	RN	3.0	834	3.5	941	34,740	1.145
True Blue	115	LC	RN	4.8	1,035	5.6	1,166	34,161	1.070
True Blue	124	LC	RN	4.2	931	5.0	1,056	33,891	1.050
True Blue	147	LC	RN	4.0	864	4.7	979	34,623	1.145
Silhouette	115	LC	RN	4.6	1,061	5.7	1,199	34,718	1.070
Silhouette	124	LC	RN	4.2	974	5.0	1,096	34,644	1.050
Silhouette	147	LC	RN	3.9	865	4.6	981	34,000	1.145

Plated Bullets

Competition	115	BRY	RNDS	2.8	906	3.9	1,018	34,312	1.130
Competition	115	RAN	RN	2.9	891	3.6	1,003	34,202	1.140
Competition	124	BRY	RN	3.0	845	3.5	948	34,641	1.160
Competition	124	BRY	HBFP	2.8	835	3.3	945	33,994	1.060
Competition	124	RAN	HP	2.9	802	3.2	906	32,597	1.110
Competition	124	RAN	RN	3.0	851	3.5	964	34,602	1.160
Competition	147	RAN	TRN	2.5	719	3.0	814	34,427	1.160
ZIP	115	BRY	RNDS	3.9	964	4.6	1,089	34,219	1.130
ZIP	115	RAN	RN	4.1	982	4.8	1,113	34,669	1.140
ZIP	124	BRY	RN	3.9	888	4.4	998	32,950	1.160
ZIP	124	BRY	HBFP	3.5	889	4.1	1,004	34,111	1.060
ZIP	124	RAN	HP	3.7	896	4.3	1,015	34,991	1.110
ZIP	124	RAN	RN	4.1	945	4.6	1,067	34,862	1.160
ZIP	147	RAN	TRN	3.4	797	3.9	904	34,722	1.160
True Blue	115	BRY	RNDS	5.2	1,028	6.0	1,161	34,671	1.130
True Blue	115	RAN	RN	4.8	1,047	5.8	1,187	34,793	1.140
True Blue	124	BRY	RN	5.2	987	5.9	1,115	34,012	1.160
True Blue	124	BRY	HBFP	4.8	954	5.5	1,074	34,903	1.060
True Blue	124	RAN	HP	5.0	960	5.7	1,081	34,040	1.110
True Blue	124	RAN	RN	5.3	1,002	6.0	1,137	34,984	1.160
True Blue	147	RAN	TRN	4.5	876	5.1	984	34,965	1.160
Silhouette	115	BRY	RNDS	5.2	1,050	6.2	1,189	34,777	1.130
Silhouette	115	BRY	RN	5.2	1,035	5.9	1,163	34,061	1.140
Silhouette	124	BRY	RN	5.1	1,001	5.8	1,133	34,986	1.160
Silhouette	124	BRY	HBFP	4.6	967	5.4	1,082	34,338	1.060
Silhouette	124	RAN	HP	4.8	968	5.6	1,095	34,556	1.110
Silhouette	124	RAN	RN	5.0	988	5.8	1,119	34,354	1.160
Silhouette	147	RAN	TRN	4.3	870	4.9	974	34,078	1.160

Copper Bullets

Competition	95	BAR	TAC-XP	2.9	940	3.8	1,067	32,595	1.160
ZIP	95	BAR	TAC-XP	4.0	1,040	4.7	1,172	34,333	1.160
ZIP	115	BAR	XPB	3.3	876	3.7	973	32,540	1.160
True Blue	95	BAR	TAC-XP	5.3	1,091	6.1	1,226	34,681	1.160
True Blue	115	BAR	XPB	4.4	902	4.9	1,002	32,150	1.160
Silhouette	95	BAR	TAC-XP	5.4	1,127	6.2	1,268	34,276	1.160
Silhouette	115	BAR	XPB	4.8	1,003	5.3	1,114	34,030	1.160

Frangible Bullets

RAMSHOT POWDERS



HANDGUN

HANDGUN

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
------------------------	-------------	-------------	---------------------	----------------------	-------------------	-------------------------	-------------------------	------------

357 SIG

Barrel: 4" ■ Twist: 1-16" ■ Primer: WIN WSP ■ Bullet Diameter .355"

Jacketed Bullets

ZIP	115 NOS	JHP	6.1	1,189	6.8	1,321	38,890	1.140
ZIP	125 SIE	JHP	5.8	1,098	6.4	1,220	37,180	1.140
ZIP	147 HDY	HP XTP	4.7	950	5.2	1,056	38,320	1.140
True Blue	115 NOS	JHP	8.2	1,217	9.1	1,352	35,370	1.140
True Blue	125 SIE	JHP	7.9	1,164	8.8	1,293	36,850	1.140
True Blue	147 HDY	HP XTP	6.8	1,022	7.6	1,135	36,720	1.140
Silhouette	115 NOS	JHP	8.4	1,343	8.8	1,389	35,380	1.140
Silhouette	125 SIE	JHP	7.9	1,261	8.3	1,320	36,760	1.140
Silhouette	147 HDY	HP XTP	6.5	1,082	6.9	1,128	35,500	1.140

Copper Bullets

True Blue	125 BAR	XPB	5.9	1,020	6.6	1,133	39,457	1.140
Silhouette	125 BAR	XPB	5.8	1,053	6.4	1,170	39,337	1.140

Frangible Bullets

ZIP	100 SF	RHFP	5.7	1,259	6.3	1,399	42,930	1.130
True Blue	100 SF	RHFP	7.5	1,305	8.3	1,450	42,420	1.130
Silhouette	100 SF	RHFP	7.7	1,363	8.6	1,514	42,380	1.130

38 Super

Barrel: 5" ■ Twist: 1-16" ■ Primer: WIN WSP ■ Bullet Diameter .355"

Jacketed Bullets

True Blue	115 SIE	FMJ	7.2	1,193	8.0	1,326	35,720	1.240
True Blue	124 HDY	FMJ CT	6.9	1,148	7.7	1,275	36,070	1.270
True Blue	147 SPR	TMJ FP	6.3	1,043	7.0	1,159	35,690	1.270
Silhouette	115 SIE	FMJ	7.3	1,247	8.1	1,386	35,960	1.240
Silhouette	124 HDY	FMJ CT	6.8	1,179	7.6	1,310	35,270	1.270
Silhouette	147 SPR	TMJ FP	6.1	1,067	6.8	1,185	35,750	1.270

Lead Bullets

True Blue	115 LC	RN	7.2	1,259	8.0	1,399	35,100	1.240
True Blue	124 LC	RN	6.7	1,193	7.4	1,326	35,060	1.270
True Blue	145 LC	RN	6.0	1,063	6.7	1,181	35,410	1.270
Silhouette	115 LC	RN	7.3	1,306	8.1	1,451	36,130	1.240
Silhouette	124 LC	RN	6.5	1,220	7.2	1,355	36,030	1.270
Silhouette	145 LC	RN	6.0	1,096	6.7	1,218	35,990	1.270

Frangible Bullets

ZIP	90 SF	RHFP	5.5	1,310	6.1	1,455	35,930	1.260
ZIP	100 SF	RHFP	5.0	1,207	5.6	1,341	36,430	1.260
True Blue	90 SF	RHFP	7.3	1,344	8.1	1,493	36,280	1.260
True Blue	100 SF	RHFP	6.6	1,236	7.3	1,373	35,800	1.260
Silhouette	90 SF	RHFP	7.7	1,441	8.5	1,601	36,390	1.260
Silhouette	100 SF	RHFP	6.9	1,333	7.7	1,481	35,820	1.260

38 Special

Barrel: 7.75" ■ Twist: 1-18.75" ■ Primer: FED 100 ■ Bullet Diameter .357"

Jacketed Bullets

Competition	110 HDY	HP XTP	3.6	949	4.0	1,054	16,400	1.450
Competition	125 SIE	JHC	3.5	878	3.9	975	16,410	1.447
Competition	140 HDY	HP XTP	3.2	748	3.5	831	16,650	1.438
Competition	158 HDY	HP XTP	2.9	665	3.2	739	16,740	1.434
ZIP	110 HDY	HP XTP	5.0	1,013	5.5	1,125	16,800	1.435
ZIP	125 SIE	JHC	4.8	988	5.3	1,098	16,640	1.447
ZIP	140 HDY	HP XTP	4.1	840	4.5	933	16,550	1.438
ZIP	158 HDY	HP XTP	3.7	756	4.1	840	16,360	1.434
True Blue	110 HDY	HP XTP	5.9	1,066	6.6	1,184	16,330	1.450
True Blue	125 SIE	JHC	5.7	990	6.3	1,100	16,320	1.447
True Blue	140 HDY	HP XTP	5.3	926	5.9	1,029	16,820	1.438
True Blue	158 HDY	HP XTP	4.8	813	5.3	903	16,610	1.434
Silhouette	110 HDY	HP XTP	6.2	1,140	6.9	1,267	16,160	1.450
Silhouette	125 SIE	JHC	6.0	1,073	6.7	1,192	16,620	1.447
Silhouette	140 HDY	HP XTP	5.4	962	6.0	1,069	16,590	1.438
Silhouette	158 HDY	HP XTP	5.0	872	5.6	969	16,410	1.434

Lead Bullets

Competition	125 LC	FN	3.2	903	3.6	1,003	16,790	1.440
Competition	140 LC	FN	3.1	850	3.4	944	16,830	1.445
Competition	148 LC	WC SGG	2.3	727	2.5	808	16,430	1.231
Competition	158 LC	SWC	2.7	761	3.0	845	16,510	1.477
ZIP	125 LC	FN	4.4	1,001	4.9	1,112	16,770	1.440
ZIP	140 LC	FN	4.1	945	4.5	1,050	16,640	1.445
ZIP	148 LC	WC SGG	3.2	835	3.6	928	16,500	1.231
ZIP	158 LC	SWC	3.8	870	4.2	967	16,390	1.477

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
------------------------	-------------	-------------	---------------------	----------------------	-------------------	-------------------------	-------------------------	------------

True Blue	125 LC	FN	5.6	999	6.2	1,110	16,450	1.440
True Blue	140 LC	FN	5.3	977	5.9	1,085	16,830	1.445
True Blue	148 LC	WC SGG	4.2	849	4.7	943	16,590	1.231
True Blue	158 LC	SWC	5.0	912	5.6	1,013	16,460	1.477
Silhouette	125 LC	FN	5.6	1,041	6.2	1,157	16,150	1.440
Silhouette	140 LC	FN	5.3	1,003	5.9	1,114	16,610	1.445
Silhouette	148 LC	WC SGG	4.4	905	4.9	1,006	16,940	1.231
Silhouette	158 LC	SWC	5.0	941	5.6	1,046	16,720	1.477

Frangible Bullets

ZIP	125 SF	RHFP	4.0	642	4.4	713	16,095	1.500
True Blue	125 SF	RHFP	5.0	743	5.5	826	16,925	1.500
Silhouette	125 SF	RHFP	5.1	805	5.7	894	16,085	1.500

38 Special +P

Copper Bullets

ZIP	110 BAR	XPB	4.4	917	4.9	1,019	18,145	1.515
True Blue	110 BAR	XPB	5.6	973	6.2	1,081	18,075	1.515
Silhouette	110 BAR	XPB	5.7	1,049	6.3	1,165	18,275	1.515

357 Magnum

Barrel: 6" ■ Twist: 1-18.75" ■ Primer: FED 200 ■ Bullet Diameter .357"

Jacketed Bullets

ZIP	110 HDY	HP XTP	7.7	1,373	8.6	1,525	32,080	1.578
ZIP	125 SIE	JHP	7.1	1,276	7.9	1,418	30,680	1.578
ZIP	158 NOS	JHP	6.0	1,105	6.7	1,228	31,680	1.580
True Blue	110 HDY	HP XTP	11.3	1,475	12.5	1,639	33,160	1.570
True Blue	125 HDY	HP XTP	10.4	1,325	11.5	1,472	30,750	1.580
True Blue	140 SIE	JHC	9.3	1,250	10.3	1,389	33,580	1.575
True Blue	158 HDY	HP XTP	8.6	1,132	9.5	1,258	34,700	1.590
Enforcer	125 HDY	HP XTP	16.2	1,500	18.0	1,667	32,570	1.580
Enforcer	140 SIE	JHC	14.4	1,311	16.0	1,457	34,200	1.580
Enforcer	158 HDY	HP XTP	12.5	1,206	14.0	1,320	34,000	1.590
Enforcer	170 SPR	GD	12.2	1,150	13.5	1,258	34,500	1.590
Enforcer	180 HDY	XTP	11.4	1,075	12.7	1,190	34,800	1.590

Lead Bullets

ZIP	158 MCB	RN BB	6.3	1,176	7.0	1,307	30,560	1.590
ZIP	180 CP	WFNGC	5.6	1,042	6.2	1,158	32,670	1.565
True Blue	158 LC	SWC	8.8	1,176	9.8	1,307	32,210	1.590
True Blue	180 CP	WFNGC	7.6	1,046	8.4	1,162	33,000	1.550

Copper Bullets

True Blue	125 BAR	XPB	7.0	1,109	7.8	1,232	33,500	1.585
Silhouette	125 BAR	XPB	7.2	1,145	8.0	1,272	33,200	1.585
Enforcer	125 BAR	XPB	14.9	1,575	16.5	1,750	34,500	1.585
Enforcer	140 BAR	XPB	13.1	1,377	14.5	1,530	34,000	1.590

357 Maximum

Barrel: 10" ■ Twist: 1-18.75" ■ Primer: Win WSP ■ Bullet Diameter .357"

Jacketed Bullets

Enforcer	158 HDY	HP-XTP	14.5	1,531	17.7	1,751	39,900	1.895
Enforcer	170 SIE	FMJ	14.4	1,516	16.6	1,667	39,888	1.884
Enforcer	180 NOS	PRT	13.6	1,390	15.7	1,571	39,525	1.875
Enforcer	180 SIE	FPJ	13.4	1,398	15.5	1,572	39,500	1.872

Lead/Cast Bullets

Enforcer	180 LC	FP	14.0	1,514	16.3	1,680	39,700	1.900
Enforcer	200 CP	WLNG	12.9	1,408	15.2	1,574	39,882	1.930

RAMSHOT



POWDERS

HANDGUN

HANDGUN

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
40 S&W									
Barrel: 4" ■ Twist: 1-16" ■ Primer: WIN WSP ■ Bullet Diameter .400"									
Jacketed Bullets									
ZIP	155	HDY	HP XTP	5.4	1,008	6.0	1,120	32,500	1.130
ZIP	165	SIE	JHP	5.1	925	5.7	1,028	29,070	1.124
ZIP	180	HDY	HP XTP	4.1	845	4.5	921	34,995	1.126
True Blue	135	NOS	JHP	8.3	1,149	9.2	1,277	32,200	1.120
True Blue	150	NOS	JHP	7.3	1,052	8.1	1,169	32,500	1.125
True Blue	165	SIE	JHP	6.9	1,014	7.7	1,127	34,500	1.135
True Blue	180	NOS	JHP	6.3	935	7.0	1,039	32,390	1.135
True Blue	200	HDY	HP XTP	5.4	802	6.0	891	32,210	1.135
Silhouette	150	SIE	JHP	7.0	1,110	7.5	1,190	32,800	1.135
Silhouette	155	HDY	HP XTP	6.9	1,100	7.4	1,170	33,500	1.135
Silhouette	165	SIE	JHP	6.2	960	6.9	1,067	34,230	1.130
Silhouette	170	WIN	FMJ	6.2	1,020	6.7	1,085	33,500	1.135
Silhouette	180	SIE	JHP	5.5	920	6.2	1,020	33,200	1.135
Silhouette	200	HDY	HP XTP	4.8	800	5.6	920	32,600	1.135
Lead Bullets									
ZIP	140	LC	TC BB	5.8	1,113	6.4	1,237	33,830	1.120
ZIP	155	MCB	SWC BB	5.1	1,005	5.7	1,117	31,720	1.120
ZIP	170	LC	SWC	4.0	873	4.4	970	34,450	1.135
ZIP	180	LC	TC	3.7	842	4.1	935	34,070	1.120
True Blue	140	LC	TCBB	7.7	1,125	8.5	1,250	33,400	1.130
True Blue	155	LC	RN SWC	6.5	963	7.2	1,070	33,500	1.095
True Blue	170	LC	SWC	5.9	878	6.6	975	32,500	1.130
True Blue	180	LC	TC	5.1	853	5.7	948	34,050	1.120
Silhouette	140	LC	TC BB	7.3	1,132	8.1	1,258	33,270	1.135
Silhouette	155	LC	RN SWC	6.5	1,036	7.2	1,151	34,140	1.135
Silhouette	170	LC	SWC	5.5	932	6.1	1,035	34,180	1.135
Silhouette	180	LC	TC	5.3	895	5.9	994	34,120	1.120
Fragile Bullets									
ZIP	105	SF	RHFP	5.8	1,182	6.4	1,313	33,220	1.120
ZIP	125	SF	RHFP	4.5	986	5.0	1,096	34,380	1.120
True Blue	105	SF	RHFP	7.4	1,168	8.2	1,298	33,060	1.120
True Blue	125	SF	RHFP	5.8	970	6.4	1,078	33,080	1.120
Silhouette	105	SF	RHFP	8.3	1,306	9.2	1,451	34,210	1.120
Silhouette	125	SF	RHFP	6.2	1,040	6.9	1,156	32,680	1.120
Copper Bullets									
True Blue	140	BAR	XPB	5.2	872	5.8	969	32,000	1.135
True Blue	155	BAR	XPB	4.2	730	4.7	811	32,500	1.135
Silhouette	140	BAR	XPB	5.5	932	6.1	1,035	31,500	1.135
Silhouette	155	BAR	XPB	4.4	774	4.9	860	30,100	1.135

10mm Auto

Barrel: 5" ■ Twist: 1-16" ■ Primer: WIN WLP ■ Bullet Diameter .400"

Jacketed Bullets

Silhouette	135	NOS	JHP	9.9	1,440	11.0	1,575	35,900	1.260
Silhouette	150	SIE	JHP	8.7	1,290	9.8	1,395	35,500	1.260
Silhouette	155	HDY	HP XTP	8.8	1,255	9.7	1,355	35,400	1.260
Silhouette	170	WIN	JHP	7.9	1,165	9.1	1,285	34,600	1.260
Silhouette	180	SIE	JHP	7.5	1,110	8.4	1,210	34,400	1.260
Silhouette	190	SIE	FPJ	7.4	1,100	8.3	1,185	34,700	1.260
Silhouette	200	HDY	HP XTP	6.9	1,025	7.8	1,115	35,700	1.260

Lead Bullets

Silhouette	170	LC	SWC	7.4	1,175	8.2	1,220	34,100	1.260
Silhouette	200	LC	TC	5.8	980	6.7	1,000	34,250	1.260

41 Remington Magnum

Barrel: 10" ■ Twist: 1-18.75" ■ Primer: WLP ■ Bullet Diameter .410"

Jacketed Bullets

True Blue	170	SIE	JHC	10.0	1,150	12.5	1,390	34,200	1.580
True Blue	210	HDY	HP XTP	9.0	1,050	11.0	1,200	32,000	1.580
Enforcer	170	SIE	JHC	22.5	1,760	25.0	1,910	34,500	1.586
Enforcer	210	NOS	JHP	19.1	1,492	21.2	1,658	35,800	1.581

Lead Bullets

Enforcer	215	LC	SWC	19.0	1,450	21.1	1,601	35,500	1.600
Enforcer	240	CP	RN	18.6	1,395	20.7	1,575	35,000	1.710
Enforcer	250	CP	WFNPB	18.3	1,379	20.3	1,532	34,650	1.674
Enforcer	255	CP	WFNGC	17.9	1,366	19.9	1,518	35,960	1.662
Enforcer	265	TS	WNFGC	17.2	1,319	19.1	1,466	35,340	1.466

Copper Bullets

Enforcer	180	BAR	XPB	18.5	1,520	20.5	1,689	33,840	1.590
----------	-----	-----	-----	------	-------	------	-------	--------	-------

44 Special

Barrel: 8.150" ■ Twist: 1-20" ■ Primer: WIN WLP ■ Bullet Diameter .429"

Jacketed Bullets

ZIP	180	SIE	JHC	5.8	850	6.8	970	14,200	1.480
ZIP	200	NOS	JHP	5.0	760	6.0	870	13,500	1.470
ZIP	240	HDY	HP XTP	4.0	640	5.0	760	13,000	1.480
True Blue	180	SIE	JHC	8.0	900	9.4	1,040	14,400	1.480
True Blue	200	NOS	JHP	7.0	800	8.3	930	14,100	1.470
True Blue	240	HDY	HP XTP	6.0	710	7.0	815	13,700	1.480

Copper Bullets

ZIP	200	BAR	XPB	5.6	812	6.2	902	15,100	1.610
True Blue	200	BAR	XPB	6.9	824	7.7	916	14,960	1.610
Silhouette	200	BAR	XPB	7.2	863	8.0	959	14,990	1.610

44 Remington Magnum

Barrel: 8.275" ■ Twist: 1-20" ■ Primer: FED 155 ■ Bullet Dia.: .429"

Jacketed Bullets

True Blue	180	SIE	JHC	14.9	1,476	16.5	1,640	33,800	1.590
True Blue	200	HDY	HP XTP	14.0	1,368	15.5	1,520	34,500	1.595
True Blue	240	NOS	JSP	11.9	1,188	13.2	1,320	34,200	1.595
Enforcer	180	SIE	JHC	24.3	1,683	27.0	1,870	32,510	1.581
Enforcer	200	HDY	HP XTP	22.5	1,550	25.0	1,740	34,500	1.595
Enforcer	240	NOS	JSP	19.8	1,368	22.0	1,520	35,600	1.590
Enforcer	270	SPR	GD	17.1	1,265	19.0	1,395	35,500	1.585
Enforcer	300	HDY	HP XTP	16.2	1,170	18.0	1,300	35,500	1.580

Lead Bullets

True Blue	240	LC	SWC	11.5	1,152	12.8	1,259	35,764	1.610
True Blue	255	CP	WFNPB	11.1	1,100	12.3	1,222	35,200	1.605
True Blue	275	CP	WFNPB	10.8	1,076	12.0	1,195	33,200	1.635
True Blue	300	LC	TC	10.1	1,031	11.2	1,145	32,470	1.590
True Blue	320	CP	WNGC	9.7	972	10.8	1,080	32,500	1.695
Enforcer	200	MCB	RN FP	22.6	1,500	25.1	1,667	26,040	1.565
Enforcer	240	LC	SWC	19.3	1,287	21.4	1,407	35,156	1.610
Enforcer	255	CP	WFNGC	18.5	1,285	20.6	1,428	26,110	1.610
Enforcer	300	CP	WFNGC	16.7	1,225	18.5	1,361	32,750	1.590
Enforcer	310	OT	WNFP	16.5	1,171	18.3	1,301	28,210	1.635
Enforcer	320	CP	WLNGC	16.4	1,179	18.2	1,310	32,280	1.695

Copper Bullets

Enforcer	200	BAR	XPB	20.3	1,428	22.5	1,587	32,712	1.591
Enforcer	225	BAR	XPB	18.0	1,274	20.0	1,416	35,728	1.604

45 GAP

Barrel: 5" ■ Twist: 1-16" ■ Primer: WSP ■ Bullet Dia.: .451 to .452

Jacketed Bullets

ZIP	185	SIE	JHP	5.0	875	5.5	972	21,840	1.063
ZIP	200	HDY	HP XTP	4.5	802	5.0	891	21,130	1.070
True Blue	185	SIE	JHP	6.3	860	7.0	956	21,270	1.063
True Blue	200	HDY	HP XTP	5.9	806	6.5	895	21,650	1.070
Silhouette	185	SIE	JHP	6.8	920	7.5	1,022	20,940	1.063
Silhouette	200	HDY	HP XTP	6.2	862	6.9	958	21,290	1.070

Lead Bullets

ZIP	155	LC	SWC	5.1	994	5.7	1,104	22,950	1.085
ZIP	180	LC	SWC	4.3	826	4.8	918	18,440	1.100
True Blue	155	LC	SWC	6.6	985	7.3	1,094	22,810	1.085
True Blue	180	LC	SWC	5.7	840	6.3	933	20,100	1.100
Silhouette	155	LC	SWC	6.8	1,004	7.5	1,116	20,210	1.085
Silhouette	180	LC	SWC	6.2	910	6.9	1,011	20,810	1.100

Copper Bullets

ZIP	160	BAR	XPB	4.0	810	4.4	900	19,720	1.100
True Blue	160	BAR	XPB	5.2	820	5.8	911	20,760	1.100
Silhouette	160	BAR	XPB	5.6	874	6.2	971	20,160	1.100

CAUTION!

Reducing the overall cartridge length by seating the bullet deeper in the case may dramatically increase the pressure on some handgun cases. Always use caution when changing bullet seating depth.

RAMSHOT POWDERS



HANDGUN

HANDGUN

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
--	------------------------	-------------	-------------	---------------------	----------------------	-------------------	-------------------------	-------------------------	------------

45 Auto (ACP)

Barrel: 5" ■ Twist: 1-16" ■ Primer: FED 150 ■ Bullet Dia.: .451"

Jacketed Bullets									
Competition	185	HDY	HP XTP	4.6	847	5.1	941	20,530	1.230
Competition	200	HDY	FMJ CT	4.0	774	4.4	860	20,600	1.230
Competition	230	SIE	FMJ	3.8	694	4.2	771	19,620	1.250
ZIP	185	HDY	HP XTP	6.6	946	7.3	1,051	19,590	1.230
ZIP	200	HDY	FMJ CT	5.8	879	6.4	977	20,650	1.230
ZIP	230	SIE	FMJ	5.6	814	6.2	904	20,680	1.250
True Blue	185	HDY	HP XTP	8.5	980	9.4	1,089	20,780	1.230
True Blue	200	HDY	FMJ CT	7.2	866	8.0	962	19,490	1.230
True Blue	230	SIE	FMJ	6.8	800	7.6	889	19,680	1.250
Silhouette	185	HDY	HP XTP	8.9	1,037	9.9	1,152	20,900	1.230
Silhouette	200	HDY	FMJ CT	7.6	937	8.4	1,041	20,230	1.230
Silhouette	230	SIE	FMJ	7.3	868	8.1	964	19,740	1.250

Lead Bullets

Competition	155	LC	SWC	4.5	950	5.0	1,056	19,200	1.232
Competition	180	LC	SWC	4.2	861	4.7	957	19,610	1.267
Competition	200	LC	SWC	3.9	806	4.3	896	20,040	1.267
Competition	230	LC	SWC	3.6	725	4.0	805	19,230	1.267
ZIP	155	LC	SWC	6.5	1,060	7.2	1,178	20,940	1.232
ZIP	180	LC	SWC	6.0	957	6.7	1,063	20,510	1.267
ZIP	200	LC	SWC	5.6	897	6.2	997	20,290	1.267
ZIP	230	LC	SWC	5.2	824	5.8	915	20,318	1.267
True Blue	155	LC	SWC	8.4	1,049	9.3	1,165	20,030	1.232
True Blue	180	LC	SWC	7.7	947	8.5	1,052	19,510	1.267
True Blue	200	LC	SWC	7.0	891	7.8	990	19,630	1.267
True Blue	230	LC	SWC	6.7	822	7.4	913	19,450	1.267
Silhouette	155	LC	SWC	8.3	1,103	9.2	1,226	20,270	1.232
Silhouette	180	LC	SWC	8.0	991	8.9	1,101	18,250	1.267
Silhouette	200	LC	SWC	7.6	964	8.4	1,071	20,349	1.267
Silhouette	230	LC	SWC	7.0	882	7.8	980	20,230	1.267

Copper Bullets

ZIP	185	BAR	XPB	4.8	803	5.3	892	20,035	1.235
True Blue	185	BAR	XPB	5.6	773	6.2	859	19,855	1.235
Silhouette	185	BAR	XPB	6.1	844	6.8	938	19,505	1.235

Frangible Bullets

ZIP	140	SF	RHFP	6.2	1,022	6.9	1,136	20,110	1.210
ZIP	155	SF	RHFP	5.2	901	5.8	1,001	19,030	1.210
True Blue	140	SF	RHFP	7.7	1,009	8.6	1,121	20,250	1.210
True Blue	155	SF	RHFP	6.8	916	7.6	1,018	20,310	1.210
Silhouette	140	SF	RHFP	8.0	1,060	8.9	1,178	19,390	1.210
Silhouette	155	SF	RHFP	7.1	990	7.9	1,100	20,740	1.210

45 Long Colt

Barrel: 7.26" ■ Twist: 1-16" ■ Primer: FED 150 ■ Bullet Dia.: .452"

Jacketed Bullets									
ZIP	185	SIE	JHP	6.6	922	7.8	1,085	12,950	1.540
ZIP	200	SIE	FPJ	6.1	833	7.2	980	13,200	1.580
ZIP	250	NOS	JHP	5.5	751	6.5	884	13,100	1.595
ZIP	300	HDY	HP XTP	4.7	652	5.5	767	12,850	1.655
True Blue	185	SIE	JHP	8.9	942	10.5	1,108	13,200	1.540
True Blue	200	SIE	FPJ	8.5	888	10.0	1,045	12,800	1.580
True Blue	250	NOS	JHP	7.7	803	9.0	945	13,400	1.595
True Blue	300	HDY	HP XTP	6.4	689	7.5	811	13,250	1.655

Copper Bullets (30,000psi loads for strong rated weapons only i.e.Ruger, T/C etc)
 Enforcer 225 BAR XPB 21.2 1,351 23.5 1,501 29,497 1.588

454 Casull

Barrel: 7.5" ■ Twist: 1-24" ■ Primer:FED 205 ■ Bullet Dia.: .452"

Jacketed Bullets									
True Blue	240	SIE	JHC	19.8	1,496	22.0	1,662	53,200	1.765
True Blue	300	HDY	XTP	16.7	1,278	18.5	1,420	53,570	1.760
Enforcer	240	SIE	JHC	28.8	1,656	32.0	1,840	43,250	1.735
Enforcer	260	NOS	PART	27.0	1,575	30.0	1,750	53,500	1.735
Enforcer	300	NOS	PART	25.2	1,463	28.0	1,625	51,400	1.750

Lead Bullets									
True Blue	265	CP	WFNGC	18.5	1,409	20.5	1,565	54,000	1.670
True Blue	335	CP	WLNGC	16.2	1,256	18.0	1,395	53,400	1.735
Enforcer	335	CP	WLNGC	23.4	1,377	26.0	1,530	53,350	1.760
Enforcer	370	CP	WLNGC	21.6	1,258	24.0	1,398	48,200	1.770
Enforcer	395	CP	WLNGC	19.8	1,193	22.0	1,325	48,300	1.770

460 S&W

Barrel: 8.37" ■ Twist: 1-20" ■ Primer: FED 210 ■ Bullet Dia.: .452"

Jacketed Bullets									
Enforcer	240	HDY	XTP	42.0	1,936	47.0	2,195	59,500	2.160
Enforcer	260	NOS	PART	38.3	1,895	42.5	2,092	57,900	2.180
Enforcer	300	NOS	PART	35.6	1,855	39.8	2,042	55,380	2.187

Copper Bullets

Enforcer	200	BAR	XPB	42.3	2,050	47.0	2,278	47,200	2.289
----------	-----	-----	-----	------	-------	------	-------	--------	-------

480 Ruger

Barrel: 7.5" ■ Twist: 1-18" ■ Primer: WIN WLP ■ Bullet Dia - .475"

Enforcer	275	SPR	GDHP	26.7	1,267	29.7	1,385	43,750	1.640
Enforcer	325	HDY	HP XTP	22.9	1,372	25.4	1,524	43,290	1.615
Enforcer	400	HDY	XTP	18.5	1,158	20.5	1,265	44,250	1.635

Lead Bullets

Enforcer	355	TS	WNFPGC	21.9	1,299	24.3	1,443	40,140	1.615
Enforcer	370	CP	LFNPB	21.3	1,284	23.7	1,427	42,420	1.660
Enforcer	375	CP	LFNGC	19.7	1,220	21.9	1,356	41,640	1.610

Copper Bullets

Enforcer	275	BAR	XPB	23.4	1,364	26.0	1,515	36,220	1.695
----------	-----	-----	-----	------	-------	------	-------	--------	-------

475 Linebaugh

Barrel: 8.0" ■ Twist: 1-16" ■ Primer: CCI 350 ■ Bullet Dia.: .475"

Jacketed Bullets									
Enforcer	325	HDY	XTP	28.8	1,526	32.0	1,695	49,680	1.753
Enforcer	400	HDY	XTP	22.4	1,260	24.9	1,400	49,240	1.755

Lead Bullets

Enforcer	355	TS	WFPGC	27.2	1,450	30.2	1,611	49,280	1.770
Enforcer	375	CP	LFNGC	25.0	1,377	27.8	1,530	49,820	1.725
Enforcer	390	CP	WLNGC	25.4	1,369	28.2	1,521	49,830	1.794
Enforcer	405	MTB	KSPB	23.1	1,292	25.7	1,436	48,700	1.821
Enforcer	410	CP	WFNGC	22.9	1,276	25.4	1,418	48,810	1.747
Enforcer	425	CP	LFNGC	20.8	1,211	23.1	1,346	49,520	1.730

Copper Bullets

Enforcer	275	BAR	XPB	28.8	1,554	32.0	1,727	47,430	1.814
----------	-----	-----	-----	------	-------	------	-------	--------	-------

475 Maximum

Barrel: 7.9" ■ Twist: 1-18" ■ Primer: CCI 350 ■ Bullet Dia - .475"

Lead Bullets									
Enforcer	355	TS	WNFPGC	29.7	1,485	33.0	1,650	49,000	1.970
Enforcer	375	CP	LFNGC	27.0	1,401	30.0	1,557	48,057	1.940
Enforcer	405	MTB	KSPB	25.2	1,337	28.0	1,486	48,530	2.025
Enforcer	425	CP	LFNGC	23.4	1,271	26.0	1,412	49,650	1.935

500 S&W

Barrel: 8.37" ■ Twist: 1-18" ■ Primer: WLR ■ Bullet Dia: 0.500"

Jacketed Bullets									
Enforcer	350	SIE	JHP	36.0	1,557	40.0	1,730	48,500	2.050
Enforcer	350	SIE	JHP	39.6	1,725	44.0	1,900	57,000	2.050
Enforcer	500	HDY	FP-XTP	31.5	1,275	35.0	1,475	55,000	2.040

Lead Bullets									
Enforcer	440	CP	WFNGC	29.7	1,386	33.0	1,540	47,800	2.025

Copper Bullets									
Enforcer	325	BAR	XPB	38.3	1,654	42.5	1,838	47,700	2.285
Enforcer	375	BAR	XPB	32.4	1,491	36.0	1,657	49,800	2.285

500 Linebaugh

Barrel: 7.87" ■ Twist: 1-18" ■ Primer: CCI 350 ■ Bullet Dia: 0.511"

Lead Bullets									
Enforcer	350	CP	WFNGC	27.4	1,328	30.4	1,476	31,450	1.737
Enforcer	435	CP	WFNGC	24.5	1,201	27.2	1,334	34,180	1.742
Enforcer	520	CP	LFNGC	20.7	1,038	23.0	1,153	34,170	1.860
Enforcer	525	CP	WFNGC	19.0	1,002	21.1	1,113	34,490	1.793

500 Maximum

Barrel: 7.87" ■ Twist: 1-18" ■ Primer: CCI 350 ■ Bullet Dia: 0.511"

Lead Bullets									
Enforcer	350	CP	WFNGC	35.6	1,487	39.5	1,652	34,660	1.935
Enforcer	435	CP	WFNGC	29.2	1,275	32.4	1,417	33,640	1.975
Enforcer	525	CP	WFNGC	23.0	1,071	25.5	1,190	33,310	2.000

RAMSHOT POWDERS



RIFLE

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
17 Remington Fireball									
Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN WSR ■ Bullet Dia. .172"									
X-Terminator	20	HDY	V-MAX	18.3	3,754	20.3	4,171	52,930	1.808
X-Terminator	25	HDY	V-MAX	17.3	3,419	19.2	3,799	53,250	1.808
TAC	20	HDY	V-MAX	18.6	3,651	20.7	4,057	52,300	1.808
TAC	25	HDY	V-MAX	17.6	3,392	19.5	3,769	53,920	1.808

17 Remington

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 205 ■ Bullet Diameter .172"									
X-Terminator	20	HDY	V-MAX	19.0	3,750	21.5	4,035	59,500	2.150
X-Terminator	25	HDY	HP	18.5	3,550	21.0	3,800	60,000	2.150
TAC	20	HDY	V-MAX	20.0	3,650	23.0	4,050	61,000	2.150
TAC	25	HDY	HP	19.5	3,450	22.3	3,810	61,100	2.150

20 Vartarg

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-12" ■ Primer: WIN WSR ■ Bullet Diameter .204"									
X-Terminator	32	SIE	BK	18.4	3,200	20.4	3,556	51,383	1.855
X-Terminator	40	HDY	V-MAX	17.8	3,021	19.8	3,356	56,000	1.825

20 Vartarg Turbo

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-12" ■ Primer: WIN WSR ■ Bullet Diameter .204"									
X-Terminator	32	SIE	BK	22.1	3,560	24.6	3,935	58,000	2.000
X-Terminator	40	HDY	V-MAX	21.6	3,401	24.0	3,701	63,000	2.030

20 Tactical

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-12" ■ Primer: WIN WSR ■ Bullet Diameter .204"									
X-Terminator	32	SIE	BK	24.0	3,733	26.6	4,035	63,000	2.200
X-Terminator	40	HDY	V-MAX	22.2	3,427	24.7	3,697	63,000	2.240
TAC	32	SIE	BK	24.3	3,666	27.0	3,997	62,900	2.200
TAC	40	HDY	V-MAX	23.2	3,448	25.7	3,708	63,025	2.240
TAC	50	BGR	LTB	22.1	3,118	24.6	3,374	62,870	2.240

204 Ruger

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-12" ■ Primer: WIN WSR ■ Bullet Diameter .204"									
X-Terminator	32	SIE	BK	24.8	3,607	27.5	4,008	56,300	2.250
X-Terminator	40	HDY	V-MAX	23.0	3,241	25.5	3,601	53,000	2.250
TAC	32	SIE	BK	26.0	3,700	28.5	4,100	58,100	2.250
TAC	40	HDY	V-MAX	24.0	3,300	27.0	3,680	56,000	2.250

20 PPC (59,000 psi Standard Loads)

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 26" ■ Twist: 1-12" ■ Primer: WIN WSR ■ Bullet Diameter .204"									
TAC	32	SIE	BK	26.3	3,915	29.2	4,143	57,000	1.947
TAC	40	HDY	V-MAX	24.8	3,447	27.5	3,780	57,000	1.955
Big Game	50	BGR	LTB	27.3	3,241	30.3	3,547	58,000	1.995

RIFLE

20 PPC (63,000 psi)

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 26" ■ Twist: 1-12" ■ Primer: WIN WSR ■ Bullet Diameter .204"									
TAC	32	SIE	BK	26.7	3,943	29.7	4,176	63,000	1.947
TAC	40	HDY	V-MAX	25.5	3,532	28.3	3,883	62,900	1.955

20 BR (59,000 psi Standard Loads)

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 26" ■ Twist: 1-12" ■ Primer: WIN WSR ■ Bullet Diameter .204"									
TAC	32	SIE	BK	28.2	3,827	31.4	4,194	58,000	1.992
TAC	40	HDY	V-MAX	27.2	3,581	30.2	3,901	57,925	2.000
Big Game	40	HDY	V-MAX	31.0	3,588	34.4	3,931	58,100	1.992
Big Game	50	BGR	LTB	28.3	3,293	31.4	3,550	57,900	2.020

20 BR (63,000 psi)

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 26" ■ Twist: 1-12" ■ Primer: WIN WSR ■ Bullet Diameter .204"									
TAC	32	SIE	BK	28.9	3,903	32.1	4,285	62,900	1.992
TAC	40	HDY	V-MAX	28.0	3,669	31.2	4,004	62,920	2.000
Big Game	50	BGR	LTB	29.4	3,388	32.7	3,664	63,000	2.020

22 Hornet (0.224 Diameter Bore)

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 20" ■ Twist: 1-14" ■ Primer: FED 205 ■ Bullet Diameter .224"									
Enforcer	40	BAR	VLC	8.1	2,320	9.0	2,578	42,350	1.720
Enforcer	40	HDY	V-MAX	8.1	2,251	9.0	2,501	37,740	1.720
Enforcer	40	NOS	B-TIP	8.1	2,298	9.0	2,553	42,100	1.720
Enforcer	50	HDY	SPSX	7.7	2,138	8.5	2,375	45,500	1.720

222 Remington

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-14" ■ Primer: WIN WSR ■ Bullet Diameter .224"									
X-Terminator	40	BAR	VLC	22.5	3,105	25.0	3,450	48,500	2.095
X-Terminator	40	HDY	V-MAX	22.8	3,129	25.3	3,477	45,500	2.110
X-Terminator	40	NOS	B-TIP	22.5	3,098	25.0	3,442	44,770	2.110
X-Terminator	50	BAR	VLC	21.1	2,849	23.4	3,166	45,700	2.130
X-Terminator	50	NOS	B-TIP	21.2	2,866	23.5	3,184	48,170	2.130
X-Terminator	52	SIE	HPBT	21.2	2,820	23.5	3,133	48,790	2.130
X-Terminator	55	HDY	V-MAX (M)	20.1	2,652	22.3	2,947	45,290	2.130
X-Terminator	55	NOS	B-TIP	20.3	2,741	22.6	3,046	49,390	2.130
TAC	40	HDY	V-MAX	22.8	3,119	25.3	3,465	49,550	2.095
TAC	45	BAR	XBT	22.1	2,985	24.6	3,317	49,830	2.130
TAC	50	BAR	VLC	21.2	2,806	23.6	3,118	48,520	2.130
TAC	50	NOS	B-TIP	21.1	2,819	23.4	3,132	48,820	2.130
TAC	55	SIE	BK	21.1	2,742	23.4	3,047	48,120	2.135

FREE TRIAL SUBSCRIPTION



TO EITHER



Just go to www.ramshot.com and login in with your email address as the user name and "trialsub" as the password

RAMSHOT



POWDERS

RIFLE

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
223 Remington									
Barrel: 24" ■ Twist: 1-12" ■ Primer: WSR ■ Bullet Diameter .224"									
<i>For shorter barrels reduce velocity below as follows(ca): 20" -3.9%/-130Fps// 16" -9.0%/-300Fps</i>									
X-Terminator	30	BAR	HP	26.1	3,687	29.0	4,029	51,560	2.088
X-Terminator	34	VNE	HP	26.6	3,665	29.5	4,006	53,570	2.125
X-Terminator	36	BAR	VG	25.6	3,510	28.5	3,820	53,086	2.190
X-Terminator	40	BRGR	FBHP	23.9	3,451	26.5	3,772	54,360	2.210
X-Terminator	40	HDY	V-Max	24.3	3,480	27.0	3,803	54,750	2.260
X-Terminator	40	NOS	B-Tip	24.3	3,435	27.0	3,754	53,760	2.260
X-Terminator	40	SIE	BK	24.3	3,459	27.0	3,780	54,640	2.260
X-Terminator	45	BAR	BND-S BT	24.3	3,309	27.0	3,616	54,650	2.216
X-Terminator	45	BAR	TSX-FB	24.1	3,276	26.8	3,580	54,560	2.208
X-Terminator	45	SIE	SPT-V	23.2	3,296	25.8	3,602	54,960	2.222
X-Terminator	50	BAR	VG	23.0	3,007	25.5	3,341	54,211	2.180
X-Terminator	50	BAR	TSX-FB	22.7	3,082	25.2	3,368	54,770	2.184
X-Terminator	50	BRGR	FBHP-V	22.1	3,122	24.6	3,412	54,890	2.260
X-Terminator	50	HDY	SPSX	22.1	3,093	24.5	3,380	54,740	2.180
X-Terminator	50	HDY	V-Max	22.2	3,115	24.7	3,404	53,460	2.260
X-Terminator	50	HDY	SP	22.4	3,128	24.9	3,419	54,760	2.226
X-Terminator	50	VNE	SP	22.5	3,114	25.0	3,403	54,490	2.187
X-Terminator	50	SIE	BK	22.9	3,143	25.4	3,435	54,160	2.260
X-Terminator	52	BRGR	FBHP-V	22.1	3,088	24.6	3,375	54,950	2.260
X-Terminator	52	NOS	HPBT-CC	22.1	3,059	24.6	3,343	53,360	2.226
X-Terminator	53	BAR	XFB	22.3	3,015	24.8	3,295	54,700	2.202
X-Terminator	55	BAR	TSX-FB	21.8	2,914	24.2	3,185	54,950	2.183
X-Terminator	55	BRGR	FBHP-V	21.3	2,965	23.7	3,240	54,960	2.244
X-Terminator	55	HDY	SPSX	21.4	2,949	23.8	3,223	54,100	2.195
X-Terminator	55	HDY	V-Max	21.2	2,936	23.5	3,209	54,210	2.260
X-Terminator	55	NOS	B-Tip	22.1	2,983	24.5	3,260	54,640	2.260
X-Terminator	55	SIE	SBT	22.2	3,028	24.7	3,309	54,980	2.215
X-Terminator	55	SIE	HPBT	22.2	3,007	24.7	3,286	54,760	2.160
X-Terminator	55	VNE	HP	21.6	2,943	24.0	3,216	53,220	2.162
X-Terminator	55	VNE	FMJ	22.5	3,024	25.0	3,305	54,250	2.223
X-Terminator	55	VNE	SP	21.6	2,948	24.0	3,222	53,890	2.203
X-Terminator	60	NOS	PART	21.2	2,836	23.6	3,099	54,350	2.205
X-Terminator	60	SIE	HP	20.9	2,815	23.2	3,077	54,060	2.232
TAC	34	VNE	HP	27.4	3,636	30.4	3,974	54,960	2.125
TAC	40	BRGR	FBHP	24.6	3,389	27.3	3,704	54,170	2.210
TAC	40	HDY	V-Max	24.9	3,419	27.7	3,737	54,760	2.260
TAC	40	NOS	B-Tip	25.2	3,405	28.0	3,721	54,390	2.260
TAC	40	SIE	BK	24.8	3,399	27.6	3,715	53,940	2.260
TAC	45	BAR	BND-S-BT	24.5	3,255	27.2	3,557	54,450	2.216
TAC	45	BAR	TSX-FB	24.5	3,210	27.2	3,508	53,750	2.208
TAC	45	SIE	SPT-V	24.3	3,276	27.0	3,580	54,690	2.222
TAC	50	BAR	VG	23.3	2,964	25.9	3,293	53,151	2.180
TAC	50	BAR	TSX-FB	23.1	3,030	25.7	3,311	54,750	2.184
TAC	50	BRGR	FBHP-V	22.7	3,065	25.2	3,350	54,400	2.260
TAC	50	HDY	SPSX	23.0	3,057	25.5	3,341	54,620	2.165
TAC	50	HDY	V-Max	22.5	3,103	25.0	3,391	54,990	2.260
TAC	50	HDY	SP	23.0	3,074	25.6	3,360	53,220	2.226
TAC	50	SIE	BK	23.8	3,137	26.4	3,428	54,690	2.260
TAC	50	VNE	SP	23.1	3,088	25.7	3,375	53,690	2.187
TAC	52	BRGR	FBHP-V	22.2	2,983	24.7	3,260	53,800	2.260
TAC	52	NOS	HPBT-CC	22.5	3,003	25.0	3,282	53,250	2.226
TAC	53	BAR	XFB	22.9	2,977	25.4	3,254	54,550	2.202
TAC	55	BAR	TSX-FB	22.5	2,887	25.0	3,155	53,940	2.183
TAC	55	BRGR	FBHP-V	22.1	2,927	24.5	3,199	54,730	2.244
TAC	55	HDY	SPSX	21.6	2,879	24.0	3,146	54,450	2.195
TAC	55	HDY	V-Max	22.2	2,909	24.7	3,179	52,660	2.260
TAC	55	NOS	B-Tip	23.1	2,987	25.7	3,265	54,950	2.260
TAC	55	SIE	SBT	23.0	3,002	25.5	3,281	54,995	2.215
TAC	55	SIE	HPBT	23.2	3,000	25.8	3,279	54,925	2.160
TAC	55	VNE	HP	22.3	2,931	24.8	3,203	53,130	2.162
TAC	55	VNE	FMJ	23.1	3,002	25.7	3,281	54,310	2.223
TAC	55	VNE	SP	22.4	2,960	24.9	3,235	54,920	2.203
TAC	60	NOS	PART	22.3	2,845	24.8	3,109	55,010	2.205
TAC	60	SIE	HP	22.1	2,838	24.6	3,102	54,120	2.232
Frangible Bullets									
X-Terminator	45	SF	WTP	24.3	3,186	27.0	3,540	54,177	2.224
X-Terminator	55	SF	WTP	22.8	2,926	25.3	3,251	54,987	2.224
TAC	45	SF	WTP	24.7	3,177	27.4	3,530	53,987	2.224
TAC	55	SF	WTP	23.1	2,929	25.7	3,254	54,177	2.244

RIFLE

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Heavy/long bullets									
Barrel: 24" ■ Twist: 1-7" or 1-9"									
X-Terminator	55	BAR	MPG	23.3	2,946	25.9	3,186	54,900	2.180
X-Terminator	62	MIL	M855	21.4	2,778	23.8	3,050	54,137	2.260
X-Terminator	62	MIL	FMJ	21.2	2,795	23.6	3,072	55,000	2.223
X-Terminator	62	BAR	TSX	22.1	2,833	24.5	3,100	54,001	2.255
X-Terminator	65	SIE	SBT	21.0	2,738	23.4	2,982	54,399	2.210
X-Terminator	69	SIE	HPBT	20.7	2,666	23.1	2,895	54,430	2.245
X-Terminator	70	BAR	TSX	21.0	2,670	23.3	2,904	54,636	2.260
X-Terminator	75	HDY	HPBT	20.4	2,563	22.7	2,794	54,279	2.260
X-Terminator	77	SIE	HPBT	20.0	2,531	22.2	2,736	54,300	2.260
X-Terminator	80	SIE	HPBT	20.8	2,528	23.1	2,732	54,440	2.260
X-Terminator	90	SIE	HPBT	19.6	2,393	21.8	2,542	54,675	2.260
TAC	62	MIL	M855	22.5	2,800	25.0	3,078	54,947	2.260
TAC	62	MIL	FMJ	22.3	2,825	24.8	3,084	54,787	2.223
TAC	62	BAR	TSX	22.5	2,804	25.0	3,066	54,333	2.255
TAC	65	SIE	SBT	21.9	2,743	24.3	2,986	54,122	2.210
TAC	69	SIE	HPBT	21.9	2,671	24.3	2,921	54,687	2.260
TAC	70	BAR	TSX	21.6	2,658	24.0	2,884	54,544	2.260
TAC	75	HDY	HPBT	21.7	2,582	24.1	2,820	54,337	2.260
TAC	77	SIE	HPBT	21.1	2,483	23.4	2,759	54,500	2.260
TAC	80	SIE	HPBT	21.9	2,500	24.3	2,749	54,308	2.260
TAC	90	SIE	HPBT	20.5	2,313	22.8	2,546	54,700	2.260
<62350Psi									
<i>Application: Bolt Action Rifles and Semi Auto Weapons rated for the latest NATO/MIL ammunition.</i>									
X-Terminator	62	MIL	M855	22.8	2,925	25.3	3,200	61,487	2.260
X-Terminator	62	MIL	FMJ	22.3	2,931	24.8	3,203	61,797	2.223
X-Terminator	62	BAR	TSX	23.7	3,009	26.4	3,296	61,799	2.255
X-Terminator	65	SIE	SBT	22.5	2,887	25.0	3,148	61,192	2.210
X-Terminator	69	SIE	HPBT	22.3	2,824	24.8	3,071	62,009	2.260
X-Terminator	70	BAR	TSX	22.8	2,855	25.4	3,111	62,222	2.260
X-Terminator	75	HDY	HPBT	22.2	2,738	24.6	2,989	62,297	2.260
X-Terminator	77	SIE	HPBT	21.3	2,581	23.7	2,868	61,250	2.260
X-Terminator	80	SIE	HPBT	22.4	2,670	24.9	2,890	61,442	2.260
X-Terminator	90	SIE	HPBT	21.5	2,523	23.9	2,695	62,035	2.260
TAC	62	MIL	M855	23.6	2,940	26.2	3,219	62,350	2.260
TAC	62	MIL	FMJ	23.3	2,935	25.9	3,217	61,977	2.223
TAC	62	BAR	TSX	24.1	2,965	26.7	3,244	61,196	2.255
TAC	65	SIE	SBT	23.7	2,922	26.3	3,184	62,202	2.210
TAC	69	SIE	HPBT	22.9	2,775	25.4	3,049	61,607	2.260
TAC	70	BAR	TSX	23.1	2,796	25.6	3,037	61,273	2.260
TAC	75	HDY	HPBT	23.2	2,738	25.8	2,994	62,145	2.260
TAC	77	SIE	HPBT	22.3	2,648	24.8	2,902	61,500	2.260
TAC	80	SIE	HPBT	23.2	2,638	25.8	2,903	61,307	2.260
TAC	90	SIE	HPBT	21.8	2,436	24.2	2,688	61,794	2.260
223 Remington-LT "Long Throat"									
<i>Only useable in barrels that have been specially adapted to accept the longer COL.</i>									
<i>Application: Strong action target rifles for long range "PALMA" style shooting.</i>									
Barrel: 24" ■ Twist: 7" to 8" ■ Primer: WSR ■ Bullet Diameter .224"									
X-Terminator	80	BRGR	VLD	21.2	2596	23.5	2,840	62,000	2.510
X-Terminator	80	NOS	HPBT	21.1	2597	23.5	2,831	62,228	2.545
X-Terminator	80	SIE	HPBT	21.1	2590	23.5	2,833	62,125	2.535
X-Terminator	90	SIE	HPBT	20.2	2409	22.4	2,639	62,306	2.540
TAC	80	BRGR	VLD	21.9	2587	24.3	2,846	61,115	2.510
TAC	80	NOS	HPBT	22.0	2612	24.5	2,865	62,204	2.545
TAC	80	SIE	HPBT	22.1	2609	24.5	2,862	61,854	2.535
TAC	90	SIE	HPBT	21.1	2428	23.4	2,668	62,052	2.540



TAC™

RIFLE POWDER

*The Ultimate...
from Varmint to
High Power Competition*

RAMSHOT POWDERS



RIFLE

RIFLE

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
22-250 Remington									
Barrel: 24" ■ Twist: 1-14" ■ Primer: WIN WLR ■ Bullet Diameter .224"									
TAC	40	HDY	V-MAX (M)	33.9	3,753	38.5	4,190	63,200	2.350
TAC	40	NOS	B-TIP	33.8	3,722	38.9	4,186	62,200	2.350
TAC	50	HDY	V-MAX	31.8	3,391	35.3	3,763	60,060	2.350
TAC	55	HDY	V-MAX	29.7	3,223	33.0	3,581	61,950	2.350
TAC	55	NOS	B-TIP	29.5	3,237	32.8	3,597	59,670	2.350
TAC	55	SIE	HPBT	30.4	3,290	33.8	3,655	62,340	2.350
Big Game	50	BAR	X	36.6	3,449	40.7	3,832	60,160	2.350
Big Game	50	BAR	VLC	36.5	3,422	40.5	3,802	58,820	2.350
Big Game	50	NOS	B-TIP	36.4	3,457	40.4	3,841	61,250	2.350
Big Game	52	HDY	BTHP	36.0	3,400	40.0	3,778	62,770	2.350
Big Game	52	SIE	HPBT	36.5	3,396	40.6	3,773	60,870	2.350
Big Game	53	BAR	VLC	35.9	3,365	39.9	3,739	60,710	2.350
Big Game	53	SIE	HPBT	36.5	3,361	40.5	3,734	60,350	2.350
Big Game	55	HDY	FMJ	35.6	3,323	39.5	3,692	61,360	2.350
Big Game	55	HDY	SPSX	35.8	3,323	39.8	3,692	62,450	2.350
Big Game	55	NOS	B-TIP	35.6	3,326	39.5	3,695	62,860	2.350
Big Game	60	HDY	SP	33.7	3,128	37.4	3,475	60,330	2.350

220 Swift

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-14" ■ Primer: FED 210 ■ Bullet Diameter .224"									
Big Game	50	HDY	V-MAX	37.0	3,500	41.0	3,800	60,000	2.680
Big Game	55	SIE	BK	36.0	3,450	40.0	3,600	60,000	2.680
Big Game	60	HDY	V-MAX	34.0	3,200	38.0	3,450	61,000	2.680
Hunter	50	NOS	B-TIP	39.4	3,493	43.8	3,881	59,120	2.680
Hunter	52	SIE	HPBT	39.8	3,394	44.2	3,771	56,990	2.600
Hunter	53	BAR	X	39.0	3,407	43.3	3,785	62,720	2.680
Hunter	55	HDY	V-MAX (M)	40.1	3,404	44.6	3,782	62,480	2.680
Hunter	55	NOS	B-TIP	40.0	3,432	44.4	3,813	61,380	2.680
Hunter	60	HDY	V-MAX	36.9	3,150	41.0	3,495	61,380	2.680

223 Winchester Super Short Magnum (WSSM)

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-12" ■ Primer: WIN WLR ■ Bullet Diameter .224"									
Big Game	50	NOS	B-TIP	41.4	3,538	46.0	3,931	63,320	2.195
Big Game	53	BAR	X	36.5	3,275	40.5	3,639	61,190	2.200
Big Game	55	HDY	SP	38.0	3,333	42.2	3,703	62,500	2.200
Big Game	55	SIE	BK	39.8	3,382	44.2	3,758	61,060	2.200
Hunter	50	BAR	VAR	43.7	3,516	48.6	3,907	62,200	2.170
Hunter	55	NOS	B-TIP	43.3	3,407	48.1	3,786	60,860	2.200
Hunter	60	SIE	HP	42.8	3,349	47.5	3,721	64,500	2.200
Hunter	60	HDY	V-MAX	42.8	3,309	47.6	3,677	62,310	2.200
Hunter	63	SIE	SMP	39.8	3,163	44.2	3,514	59,990	2.200

6mm PPC

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-14" ■ Primer: FED 205 ■ Bullet Diameter .243"									
X-Terminator	75	SIE	HP	24.8	2,700	27.5	3,000	57,100	2.090
X-Terminator	80	NOS	B-TIP	24.0	2,650	27.0	2,950	57,500	2.110
X-Terminator	100	SIE	SBT	22.5	2,450	25.0	2,700	57,200	2.170
X-Terminator	107	SIE	HPBT	22.0	2,350	24.5	2,600	57,700	2.193
TAC	75	SIE	HP	26.0	2,650	29.5	3,000	58,100	2.090
TAC	80	NOS	B-TIP	25.5	2,600	29.0	2,950	58,500	2.110
TAC	100	SIE	SBT	24.3	2,475	27.0	2,740	57,900	2.170
TAC	107	SIE	HPBT	23.0	2,350	26.0	2,650	56,700	2.193

6mmX45

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-10" ■ Primer: WSR ■ Bullet Diameter .243"									
<i>For shorter barrels reduce velocity below as follows(ca): 20" -3.5%/-105Fps// 16" -8.2%/-244Fps</i>									
X-Terminator	55	NOS	B-Tip	25.6	3,124	28.4	3,389	51,647	2.260
X-Terminator	55	SIE	BK	25.5	3,116	28.4	3,388	51,106	2.260
X-Terminator	58	HDY	V-Max	25.0	3,081	27.8	3,340	54,028	2.260
X-Terminator	60	BRGR	Match-V	25.2	3,058	28.0	3,320	54,129	2.260
X-Terminator	62	BAR	VG	23.1	2,683	25.6	2,953	54,126	2.260
X-Terminator	65	HDY	V-Max	24.1	2,903	26.8	3,153	54,259	2.260
X-Terminator	70	SIE	HPBT	24.3	2,882	26.9	3,117	54,404	2.260
X-Terminator	75	HDY	HP	23.0	2,702	25.6	2,932	54,427	2.260
X-Terminator	75	HDY	V-Max	23.6	2,754	26.2	3,006	54,622	2.260
X-Terminator	75	SIE	HP	22.0	2,646	24.5	2,890	54,609	2.260
X-Terminator	80	HDY	FMJ	22.3	2,598	24.7	2,833	54,732	2.260
X-Terminator	80	NOS	B-Tip	23.4	2,632	26.0	2,899	54,235	2.260
X-Terminator	85	BAR	TSX	22.2	2,468	24.7	2,726	54,983	2.260
X-Terminator	85	SIE	HPBT	21.8	2,548	24.2	2,770	54,244	2.260
X-Terminator	87	HDY	V-Max	22.0	2,517	24.4	2,770	54,709	2.260
X-Terminator	90	SIE	FMJ	21.9	2,500	24.3	2,727	54,894	2.260
X-Terminator	95	NOS	B-Tip	21.3	2,358	23.7	2,585	54,433	2.260
X-Terminator	100	BRGR	BTT	21.1	2,342	23.4	2,556	54,099	2.260

6mm XC

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN LR ■ Bullet Diameter .243"									
Hunter	90	BRGR	T-BT	40.0	2,960	44.4	3,289	63,180	2.667
Hunter	100	BRGR	T-BT	38.0	2,813	42.2	3,125	63,050	2.700
Hunter	105	BRGR	VLD	37.4	2,750	41.5	3,056	63,250	2.724
Hunter	107	SIE	HPBT	37.1	2,719	41.2	3,021	63,740	2.700
Hunter	108	BRGR	VLD	36.9	2,696	41.0	2,995	62,120	2.688
Hunter	115	BRGR	VLD	36.6	2,610	40.7	2,900	62,250	2.735

243 Winchester

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN WLR ■ Bullet Diameter .243"									
Big Game	65	HDY	V-MAX	41.1	3,185	45.7	3,539	52,950	2.600
Big Game	90	SIE	FMJ	36.7	2,766	40.8	3,073	57,500	2.600
Big Game	95	NOS	B-TIP	35.9	2,669	39.9	2,966	56,980	2.590
Big Game	100	SIE	SBT	33.9	2,561	37.7	2,845	57,350	2.680
Big Game	105	HDY	A-MAX	34.2	2,508	38.0	2,787	55,380	2.600
Hunter	72	BAR	VAR	45.1	3,198	50.1	3,553	58,000	2.605
Hunter	80	NOS	B-TIP	42.9	3,038	47.7	3,376	57,950	2.710
Hunter	87	HDY	BTHP	41.0	2,921	45.5	3,246	57,920	2.710
Hunter	90	SIE	BT-FMJ	40.4	2,955	44.9	3,235	59,883	2.600
Hunter	90	SIE	GK	40.1	2,851	44.6	3,168	57,250	2.710
Hunter	95	BRG	VLD	40.3	2,884	44.7	3,175	59,883	2.700
Hunter	95	NOS	CT BS	40.1	2,779	44.5	3,088	58,610	2.710
Hunter	100	NOS	PART	38.8	2,668	43.1	2,964	57,960	2.710
Hunter	107	SIE	HPBT	38.7	2,654	43.0	2,949	58,650	2.710
Hunter	115	BAR	RN	36.7	2,478	40.8	2,753	58,590	2.710

6mm Remington

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 210 ■ Bullet Diameter .243"									
Big Game	55	NOS	B-TIP	44.8	3,539	49.8	3,932	60,060	2.795
Big Game	70	NOS	B-TIP	42.3	3,263	47.0	3,625	62,500	2.810
Big Game	75	HDY	V-MAX	40.7	3,078	45.2	3,420	61,210	2.825
Big Game	80	SIE	SBT	41.4	3,078	46.0	3,420	62,720	2.825
Big Game	87	HDY	BTHP	39.2	2,952	43.5	3,280	62,500	2.825
Big Game	100	NOS	PART	37.4	2,696	41.5	2,996	61,780	2.790
Hunter	55	NOS	B-TIP	46.2	3,317	51.3	3,685	49,170	2.805
Hunter	60	SIE	HP	46.6	3,306	51.8	3,673	54,090	2.720
Hunter	70	NOS	B-TIP	46.4	3,203	51.5	3,559	57,910	2.810
Hunter	75	HDY	V-MAX	45.1	3,180	50.1	3,533	61,370	2.775
Hunter	80	NOS	B-TIP	42.3	3,011	47.0	3,346	57,390	2.825
Hunter	85	BAR	XBT	43.3	2,975	48.1	3,306	62,970	2.825
Hunter	95	Win	CT BS	42.2	2,847	46.9	3,163	62,230	2.825
Hunter	100	SIE	SPT	40.4	2,745	44.9	3,050	62,370	2.825
Magnum	87	HDY	BTHP	48.0	2,862	53.3	3,180	59,500	2.810
Magnum	100	HDY	BTSP INTK	47.7	2,756	53.0	3,062	60,610	2.800
Magnum	100								

RAMSHOT



POWDERS

RIFLE

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
243 Winchester Super Short Magnum (WSSM)									
Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN WLR ■ Bullet Diameter .243"									
Hunter	75	HDY	V-MAX	45.0	3,250	50.0	3,550	62,200	2.300
Hunter	85	SIE	HPBT	43.0	3,040	48.0	3,350	64,100	2.300
Hunter	100	SIE	SBT	41.0	2,830	46.0	3,150	63,900	2.310
Magnum	85	SIE	HPBT	49.0	2,950	54.0	3,280	62,500	2.295
Magnum	100	SIE	SBT	47.0	2,850	52.0	3,150	62,500	2.310

257 Roberts

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
257 Roberts									
Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 210 ■ Bullet Diameter .257"									
Big Game	75	SIE	HP	42.5	3,140	47.5	3,450	52,500	2.700
Big Game	100	NOS	B-TIP	37.5	2,750	42.0	3,020	52,900	2.775
Big Game	117	SIE	SBT	35.5	2,530	39.5	2,770	52,100	2.775
Hunter	75	SIE	HP	44.0	3,000	49.0	3,320	50,300	2.700
Hunter	100	NOS	B-TIP	40.0	2,690	45.0	3,000	52,200	2.775
Hunter	117	SIE	SBT	39.0	2,560	43.5	2,840	53,500	2.775

257 Roberts + P

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
257 Roberts + P									
Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 210 ■ Bullet Diameter .257"									
Hunter	75	SIE	HP	47.0	3,150	52.0	3,550	56,800	2.700
Hunter	100	NOS	B-TIP	42.0	2,800	46.5	3,090	57,300	2.775
Hunter	117	SIE	SBT	40.0	2,620	44.5	2,890	57,100	2.775
Magnum	100	NOS	B-TIP	50.0	2,780	53.5	3,050	57,200	2.775
Magnum	117	SIE	SBT	47.0	2,630	51.5	2,900	56,500	2.775

25 Winchester Super Short Magnum (WSSM)

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
25 Winchester Super Short Magnum (WSSM)									
Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN WLR ■ Bullet Diameter .257"									
Big Game	90	SIE	HPBT	44.0	3,170	48.5	3,485	64,100	2.252
Big Game	100	NOS	B-TIP	41.0	2,950	46.0	3,280	64,500	2.320
Big Game	120	SIE	HPBT	39.0	2,675	43.5	2,980	63,410	2.275
Hunter	90	SIE	HPBT	46.0	3,150	51.5	3,500	63,320	2.252
Hunter	100	NOS	B-TIP	44.0	2,980	49.5	3,300	63,110	2.320
Hunter	120	SIE	HPBT	42.0	2,730	47.0	3,040	64,750	2.275

25-06 Remington

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
25-06 Remington									
Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 210 ■ Bullet Diameter .257"									
Hunter	75	HDY	V-MAX	53.8	3,355	59.8	3,766	60,770	3.160
Hunter	90	BAR	XBT	49.5	3,028	55.0	3,364	61,250	3.180
Hunter	100	SIE	HPBT	49.8	2,992	55.3	3,324	62,190	3.215
Hunter	117	HDY	BTSP	46.9	2,717	52.1	3,019	61,440	3.155
Hunter	120	NOS	PART	46.1	2,676	51.2	2,973	61,650	3.245
Magnum	75	HDY	V-MAX	57.2	3,137	63.6	3,485	53,980	3.140
Magnum	90	BAR	SLD	57.3	2,980	63.7	3,311	58,270	3.250
Magnum	100	BAR	X	53.6	2,867	59.5	3,185	57,470	3.165
Magnum	100	NOS	PART	55.6	2,937	61.8	3,263	58,020	3.250
Magnum	100	SIE	SPT	57.2	2,959	63.5	3,288	58,950	3.200
Magnum	115	NOS	PART	54.0	2,792	60.0	3,102	59,190	3.225
Magnum	117	HDY	BTSP	54.5	2,811	60.5	3,123	61,300	3.170
Magnum	117	SIE	SPT	53.8	2,768	59.8	3,076	60,540	3.200
Magnum	120	SIE	HPBT	53.1	2,768	59.0	3,025	61,750	3.200

6.5 Grendel (For AR-15 Style Weapons)

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
6.5 Grendel (For AR-15 Style Weapons)									
Barrel: 20" ■ Twist: 1-10" ■ Primer: WIN WSR ■ Bullet Diameter .264"									
X-Terminator	85	SIE	HP	28.9	2,702	32.1	2,980	52,000	2.150
X-Terminator	95	HDY	V-MAX	27.5	2,588	30.8	2,831	51,980	2.190
X-Terminator	100	NOS	B-TIP	26.7	2,464	29.7	2,709	51,920	2.230
X-Terminator	107	SIE	HPBT	26.3	2,389	29.2	2,649	51,000	2.260
X-Terminator	120	SIE	HPBT	25.1	2,233	27.9	2,466	51,970	2.260

6.5mmx47 Lapua

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
6.5mmx47 Lapua									
Barrel: 24" ■ Twist: 1-9" ■ Primer: WIN WSR ■ Bullet Diameter .264"									
BIG GAME	107	SIE	HPBT	39.6	2,827	44.0	3,141	56,450	2.647
BIG GAME	123	SIE	HPBT	38.3	2,655	42.5	2,950	58,270	2.637
BIG GAME	142	SIE	HPBT	36.5	2,475	40.5	2,750	61,910	2.693

Italicized = Maximum loads are compressed

RIFLE

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
6.5 Creedmoor									
Barrel: 24" ■ Twist: 1-9" ■ Primer: WIN WLR ■ Bullet Diameter .264"									
Big Game	107	SIE	HPBT	41.9	2,875	46.5	3,194	58,970	2.710
Big Game	120	NOS	B-TIP	39.2	2,655	43.5	2,950	59,000	2.710
Big Game	123	SIE	HPBT	38.7	2,636	43.0	2,929	58,490	2.780
Big Game	140	HDY	A-MAX	36.3	2,423	40.3	2,692	58,770	2.740
Big Game	142	SIE	HPBT	36.5	2,420	40.6	2,689	58,840	2.820
Hunter	120	NOS	B-TIP	42.8	2,697	47.5	2,997	58,280	2.710
Hunter	123	SIE	HPBT	42.3	2,683	47.0	2,981	58,840	2.780
Hunter	140	HDY	A-MAX	40.8	2,501	45.3	2,779	58,962	2.740
Hunter	142	SIE	HPBT	41.1	2,485	45.7	2,761	58,540	2.820

6.5x55mm Swedish Mauser

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
6.5x55mm Swedish Mauser									
Barrel: 24" ■ Twist: 1-9" ■ Primer: WIN WLR ■ Bullet Diameter .264"									
Hunter	107	SIE	HPBT	43.2	2,747	48.0	3,052	54,130	2.945
Hunter	120	NOS	B-TIP	40.1	2,481	44.5	2,757	50,630	2.930
Hunter	130	BAR	X	37.8	2,331	42.0	2,590	53,500	2.975
Hunter	140	BAR	XLC	38.7	2,300	43.0	2,555	51,850	2.980
Hunter	140	SIE	HPBT	39.2	2,406	43.0	2,673	54,920	2.990
Hunter	142	SIE	HPBT	38.4	2,345	42.7	2,605	52,830	3.000
Magnum	125	NOS	PART	47.1	2,539	52.3	2,821	55,040	2.925
Magnum	129	HDY	SP INTK	47.2	2,500	52.4	2,778	54,590	2.925
Magnum	140	HDY	SP INTK	46.4	2,441	50.6	2,712	54,490	2.990
Magnum	140	NOS	PART	46.4	2,500	49.8	2,778	55,010	2.990
Magnum	140	SIE	SBT	46.4	2,455	51.6	2,728	55,090	2.915

260 Remington

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
260 Remington									
Barrel: 24" ■ Twist: 1-9" ■ Primer: WIN WLR ■ Bullet Diameter .264"									
Big Game	95	HDY	V-MAX	41.4	2,882	46.0	3,202	52,110	2.750
Big Game	100	NOS	B-TIP	40.5	2,840	45.0	3,156	57,740	2.800
Big Game	107	SIE	HPBT	40.5	2,782	45.0	3,091	56,840	2.800
Big Game	120	BAR	X	36.2	2,469	40.2	2,743	57,570	2.800
Big Game	129	HDY	SP INTK	36.9	2,458	41.0	2,731	57,860	2.800
Big Game	140	BAR	VLC	34.0	2,255	37.8	2,505	54,590	2.800
Hunter	107	SIE	HPBT	44.6	2,777	49.6	3,086	54,580	2.800
Hunter	120	NOS	B-TIP	41.2	2,581	45.8	2,868	57,080	2.795
Hunter	129	HDY	SP INTK	39.2	2,422	43.5	2,691	53,420	2.800
Hunter	140	BAR	X	36.7	2,272	40.8	2,524	53,640	2.800
Hunter	140	HDY	SP INTK	39.2	2,354	43.6	2,615	54,790	2.795
Hunter	160	SIE	SMP	36.5	2,205	40.5	2,450	52,480	2.615

6.5x284 Winchester

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
6.5x284 Winchester									
Barrel: 24" ■ Twist: 1-9" ■ Primer: WIN WLR ■ Bullet Diameter .264"									
Hunter	100	NOS	B-TIP	51.3	3,085	57.0	3,428	60,740	2.965
Hunter	120	SIE	HPBT	48.6	2,858	54.0	3,176	61,880	2.995
Hunter	129	HDY	SP INTK	45.2	2,666	50.2	2,962	59,220	2.945
Hunter	140	NOS	PART	43.7	2,570	48.5	2,855	62,140	2.995
Magnum	120	SIE	HPBT	57.6	2,980	64.0	3,245	62,200	2.987
Magnum	140	SIE	SBT	55.8	2,800	62.0	3,070	64,000	3.060
Magnum	142	SIE	HPBT	53.0	2,650	59.0	2,900	63,500	3.200

.264 Winchester Magnum

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
.264 Winchester Magnum									
Barrel: 24" ■ Twist: 1-9" ■ Primer: WIN WLR ■ Bullet Diameter .264"									
Magnum	85	SIE	HP	69.8	3,352	77.6	3,692	63,168	3.100
Magnum	95	HDY	V-Max	67.9	3,258	75.5	3,590	63,417	3.200
Magnum	100	BAR	T-TSX	63.8	3,093	73.3	3,506	63,466	3.250
Magnum	100								

RAMSHOT POWDERS



RIFLE

RIFLE

6.8 SPC

Barrel: 20" ■ Twist: 1-10" ■ Primer: FED 210 ■ Bullet Diameter .277"

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
X-Terminator	90	SIE	HP	29.3	2,649	32.6	2,870	52,489	2.260
X-Terminator	110	HDY	V-Max	27.0	2,398	30.0	2,618	53,169	2.260
X-Terminator	115	SIE	HPBT	27.5	2,414	30.5	2,638	57,983	2.260
X-Terminator	130	NOS	B-Tip	24.1	2,092	26.8	2,269	48,745	2.260
X-Terminator	140	SIE	HPBT	24.8	2,120	27.5	2,303	54,413	2.260

270 Winchester

Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN WLR ■ Bullet Diameter .277"

Hunter	90	SPR	TNT	56.4	3,326	62.7	3,696	63,780	3.130
Hunter	110	HDY	V-MAX	52.7	3,027	58.5	3,363	61,940	3.170
Hunter	130	BAR	TSX	50.9	2,799	56.5	3,110	61,920	3.230
Hunter	130	BAR	MRX	51.3	2,833	57.0	3,148	64,210	3.210
Hunter	130	SIE	SBT	49.3	2,803	57.4	3,185	64,700	3.280
Hunter	130	HDY	SST	51.3	2,829	57.0	3,143	63,430	3.230
Hunter	140	BAR	TSX	48.6	2,670	54.0	2,967	63,490	3.200
Hunter	140	NOS	A-BOND	48.9	2,649	54.3	2,943	62,600	3.330
Hunter	150	SIE	SPBT	47.4	2,599	52.7	2,888	62,960	3.223
Hunter	150	BAR	TSX	47.7	2,541	53.0	2,823	62,550	3.200
Hunter	150	BAR	MRX	47.7	2,579	53.0	2,866	62,870	3.210
Hunter	160	NOS	PART	45.9	2,481	51.0	2,757	63,290	3.330
Magnum	130	BAR	X	57.8	2,682	64.2	3,042	58,780	3.310
Magnum	130	SIE	GK	57.7	2,793	64.1	3,103	60,680	3.290
Magnum	140	NOS	B-TIP	57.0	2,662	63.3	2,958	58,610	3.300
Magnum	150	BAR	X	55.1	2,520	61.2	2,800	59,990	3.225
Magnum	150	HDY	SP	56.4	2,572	62.7	2,858	60,880	3.270
Magnum	150	NOS	PART	56.3	2,588	62.6	2,875	61,310	3.280
Magnum	160	NOS	PART	54.6	2,540	60.7	2,822	63,330	3.330

270 Winchester Short Magnum (WSM)

Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN WLRM ■ Bullet Diameter .277"

Hunter	90	SIE	HP	64.8	3,353	72.0	3,726	61,590	2.800
Hunter	110	HDY	V-MAX	60.5	3,118	67.2	3,464	61,250	2.800
Hunter	130	BAR	XBT	56.9	2,811	63.2	3,123	57,930	2.850
Hunter	140	NOS	B-TIP	54.6	2,700	60.7	3,000	57,680	2.830
Hunter	150	SIE	SBT	53.9	2,642	59.9	2,935	59,390	2.845
Magnum	110	HDY	V-MAX	68.2	3,045	75.8	3,383	57,190	2.740
Magnum	120	BAR	X	67.9	2,984	75.4	3,316	63,020	2.795
Magnum	130	HDY	SP INTK	68.5	2,994	76.1	3,327	64,990	2.790
Magnum	130	NOS	PART	67.4	2,918	74.9	3,242	63,210	2.800
Magnum	130	SIE	SBT	68.0	2,977	75.5	3,308	62,250	2.835
Magnum	135	NOS	PART	67.5	2,920	75.0	3,244	63,190	2.785
Magnum	140	HDY	SP INTK	66.2	2,815	73.5	3,128	62,690	2.800
Magnum	140	NOS	B-TIP	66.6	2,877	74.0	3,197	63,860	2.815
Magnum	150	BAR	XFB	62.8	2,707	69.8	3,008	62,790	2.850
Magnum	150	HDY	SP INTK	64.7	2,726	71.9	3,029	63,770	2.773
Magnum	150	NOS	PART	64.9	2,793	72.1	3,103	63,330	2.835
Magnum	160	NOS	PART	64.0	2,688	71.1	2,987	62,250	2.800

7mm-08 Remington

Barrel: 24" ■ Twist: 1-9" ■ Primer: FED 210 ■ Bullet Diameter .284"

Big Game	100	HDY	HP	45.7	2,875	50.9	3,194	50,320	2.710
Big Game	120	BAR	XBT	44.2	2,756	49.1	3,062	57,850	2.835
Big Game	139	HDY	SP	43.2	2,558	48.0	2,842	56,560	2.800
Big Game	140	BAR	XBT	41.9	2,528	46.5	2,809	56,550	2.800
Big Game	150	NOS	PART	40.1	2,409	44.5	2,677	57,600	2.740
Big Game	160	BAR	X	37.3	2,219	41.4	2,465	56,830	2.800
Big Game	160	SIE	HPBT	39.2	2,321	43.5	2,579	57,860	2.780
Big Game	175	HDY	SP	38.3	2,185	42.5	2,428	57,790	2.750
Hunter	160	SIE	HPBT	44.0	2,550	48.0	2,750	58,500	2.800
Hunter	175	SIE	SBT	42.0	2,450	46.0	2,650	58,500	2.800

280 Remington

Barrel: 24" ■ Twist: 1-9" ■ Primer: WIN WLR ■ Bullet Diameter .284"

Hunter	130	SIE	HPBT	49.3	2,699	54.8	2,999	55,460	3.315
Hunter	139	HDY	SP	49.7	2,649	55.2	2,943	57,490	3.285
Hunter	140	BAR	XBT	48.2	2,596	53.5	2,884	56,540	3.330
Hunter	150	NOS	PART	49.0	2,560	54.5	2,850	57,500	3.330
Hunter	160	BAR	X	45.5	2,383	50.5	2,648	56,080	3.310
Hunter	175	SIE	SBT	44.6	2,319	49.5	2,577	55,320	3.330
Magnum	160	SIE	SBT	52.6	2,457	58.4	2,730	54,530	3.255
Magnum	162	HDY	BTSP	54.3	2,517	60.3	2,797	58,590	3.255
Magnum	175	HDY	SP	53.0	2,395	58.9	2,661	59,640	3.245
Magnum	175	NOS	PART	50.9	2,353	56.5	2,614	58,780	3.285
Magnum	175	SIE	SBT	53.0	2,408	58.9	2,676	56,820	3.260

7mm Remington Short Action Ultra Magnum (RSAUM)

Barrel: 24" ■ Twist: 1-9.5" ■ Primer: FED 215 ■ Bullet Diameter .284"

Hunter	120	NOS	B-TIP	57.0	2,950	63.0	3,250	63,200	2.589
Hunter	140	NOS	B-TIP	55.0	2,800	61.0	3,050	63,400	2.800
Hunter	160	SIE	SBT	52.0	2,620	58.0	2,900	63,500	2.800
Magnum	160	SIE	SBT	63.0	2,750	68.0	3,020	64,070	2.800
Magnum	175	SIE	HPBT	59.0	2,540	66.0	2,850	64,120	2.800

7mm Winchester Short Magnum (WSM)

Barrel: 24" ■ Twist: 1-9" ■ Primer: WIN WLRM ■ Bullet Diameter .284"

Hunter	100	HDY	HP	64.3	3,255	71.4	3,617	58,670	2.790
Hunter	130	BAR	XBT	56.7	2,850	63.0	3,150	63,000	2.860
Hunter	140	NOS	B-TIP	58.1	2,808	64.5	3,120	58,410	2.860
Hunter	150	NOS	PART	56.0	2,712	62.2	3,013	59,290	2.840
Hunter	162	HDY	BTSP	54.3	2,600	60.3	2,889	58,900	2.860
Hunter	175	NOS	PART	52.7	2,498	58.6	2,776	60,760	2.855
Magnum	130	SIE	HPBT	69.4	2,923	77.1	3,248	55,420	2.845
Magnum	139	HDY	SST	69.0	2,921	76.7	3,245	58,960	2.850
Magnum	140	BAR	XBT	70.1	2,890	77.9	3,211	59,440	2.850
Magnum	150	NOS	CT BS	68.8	2,847	76.4	3,163	62,160	2.845
Magnum	160	SIE	SBT	66.5	2,776	73.9	3,084	64,010	2.840
Magnum	162	HDY	BTSP	67.5	2,777	75.0	3,085	63,710	2.860
Magnum	175	NOS	PART	65.0	2,633	72.2	2,925	63,380	2.850

7mm Remington Magnum

Barrel: 24" ■ Twist: 1-9" ■ Primer: FED 215 ■ Bullet Diameter .284"

Hunter	120	HDY	SP	60.4	2,970	67.1	3,300	58,290	3.200
Hunter	140	NOS	B-TIP	55.8	2,787	64.0	3,144	60,300	3.240
Hunter	160	BAR	X	54.0	2,525	60.0	2,806	55,450	3.280
Hunter	160	SIE	SBT	53.7	2,641	59.7	2,934	58,590	3.290
Magnum	120	NOS	B-TIP	71.1	3,021	79.0	3,357	56,430	3.285
Magnum	140	BAR	XBT	68.4	2,823	76.0	3,137	58,330	3.235
Magnum	150	NOS	CT BS	67.5	2,773	75.0	3,081	59,050	3.265
Magnum	160	BAR	X	64.1	2,652	71.2	2,947	60,200	3.270
Magnum	162	HDY	A-MAX	65.3	2,652	72.6	2,947	58,280	3.290
Magnum	175	NOS	PART	63.1	2,567	70.1	2,852	58,540	3.270

7mm STW (Shooting Times Westerner)

Barrel: 24" ■ Twist: 1-9" ■ Primer: FED 215 ■ Bullet Diameter .284"

Magnum	130	SIE	HPBT (M)	78.5	3,138	87.2	3,487	59,990	3.550
Magnum	139	HDY	SST INTK	77.4	3,092	86.0	3,435	61,600	3.590
Magnum	140	NOS	B-TIP	75.6	2,972	84.0	3,302	61,660	3.540
Magnum	150	BAR	X	74.7	2,927	83.0	3,252	62,530	3.550
Magnum	160	NOS	PART	72.9	2,854	81.0	3,171	61,070	3.600

30 M1 Carbine

Barrel: 17.5" ■ Twist: 1-16" ■ Primer: WIN WSR ■ Bullet Diameter .308"

Jacketed Bullets:

Enforcer	90	HDY	HP/XTP	15.1	2,150	16.8	2,385	42,500	1.550
Enforcer	110	HDY	FMJ	14.0	1,980	15.5	2,164	43,500	1.680
Enforcer	110	SIE	RN	14.2	1,990	15.8	2,175	43,150	1.680
Enforcer	110	SPR	TMJ RN	13.8	1,880	15.3	2,055	42,950	1.680

Lead/cast Bullets:

Enforcer	110	LC	RN	14.0	1,957	15.5	2,173	44,000	1.680
Enforcer	115	LYM	#311359	12.4	1,835	13.8	2,005	43,912	1.635
Enforcer	130	LYM	#311410	11.1	1,673	12.3	1,829	41,500	1.680

MONTANA X-TREME

SUPERIOR GUN CARE PRODUCTS

www.montanaxtreme.com

RAMSHOT



POWDERS

RIFLE

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
30 Remington AR									
Barrel: 22" ■ Twist: 1-10" ■ Primer: WIN WSR ■ Bullet Diameter .308"									
X-Terminator	110	BAR	T-TSX	34.7	2,736	38.5	2,999	54,408	2.260
X-Terminator	110	BRGR	HP-FB	37.9	2,808	42.1	3,096	54,317	2.260
X-Terminator	110	HDY	SP	37.6	2,783	41.7	3,058	54,853	2.230
X-Terminator	115	BRGR	HP-FB	37.2	2,734	41.4	3,025	54,630	2.260
X-Terminator	125	NOS	B-Tip	35.7	2,621	39.6	2,895	54,233	2.260
X-Terminator	125	SIE	FNHP	35.7	2,608	39.7	2,869	54,574	2.035
X-Terminator	130	BAR	TSX	35.2	2,560	39.1	2,786	54,711	2.260
X-Terminator	135	BRGR	HP	34.7	2,504	38.6	2,781	54,512	2.260
X-Terminator	150	SIE	SBT	33.3	2,411	37.0	2,630	54,209	2.260
X-Terminator	165	SIE	HPBT	32.1	2,278	35.7	2,473	54,717	2.195

30-30 Winchester

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
30-30 Winchester									
Barrel: 24" ■ Twist: 1-12" ■ Primer: WIN WLR ■ Bullet Diameter .308"									
TAC	125	SIE	HP FN	32.2	2,363	35.8	2,625	39,760	2.410
TAC	150	HDY	RN	29.7	2,125	33.0	2,361	39,610	2.520
TAC	170	SIE	HP FN	27.5	1,962	30.5	2,180	37,010	2.515
Big Game	125	SIE	HP FN	34.9	2,179	38.8	2,421	26,780	2.435
Big Game	150	SIE	HP FN	33.5	2,070	37.2	2,300	29,420	2.530
Big Game	170	HDY	FN	31.5	1,990	35.0	2,175	33,000	2.530
Lead Bullets									
TAC	170	TS	RNFPGC	25.1	1,859	27.9	2,065	29,460	2.520
Big Game	170	TS	RNFPGC	28.6	1,799	31.8	1,999	22,600	2.520

Italics - Compressed

30 T/C

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
30 T/C									
Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN WLR ■ Bullet Diameter .308"									
X-Terminator	125	SIE	Spitzer	41.6	2,834	46.2	3,149	60,430	2.570
X-Terminator	130	BAR	TSX	41.6	2,785	46.2	3,094	59,820	2.697
X-Terminator	150	HDY	SST	39.3	2,606	43.7	2,895	60,300	2.647
X-Terminator	150	BAR	TSX	40.5	2,624	45.0	2,915	61,300	2.660
X-Terminator	165	BAR	TSX	38.7	2,440	43.0	2,711	60,950	2.637
X-Terminator	168	SIE	HPBT	36.5	2,396	40.5	2,662	60,510	2.660
X-Terminator	180	HDY	Interlock	35.8	2,275	39.8	2,528	59,710	2.654
TAC	125	SIE	Spitzer	43.2	2,849	48.0	3,166	60,500	2.570
TAC	130	BAR	TSX	43.2	2,777	48.0	3,085	58,690	2.697
TAC	150	HDY	SST	40.5	2,607	45.0	2,897	60,170	2.647
TAC	150	BAR	TSX	41.3	2,597	45.9	2,886	60,420	2.660
TAC	165	BAR	TSX	40.0	2,445	44.4	2,717	60,210	2.637
TAC	168	SIE	HPBT	39.0	2,448	43.3	2,720	59,560	2.660
TAC	180	HDY	Interlock	37.5	2,282	41.7	2,535	60,580	2.654

308 Marlin Express

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
308 Marlin Express									
Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN WLR ■ Bullet Diameter .308"									
X-Terminator	125	SIE	HP FN	36.0	2,566	40.0	2,851	46,620	2.300
X-Terminator	150	SIE	FN	34.0	2,339	37.8	2,599	47,060	2.405
X-Terminator	160	HDY	FTX	33.1	2,231	36.8	2,479	46,840	2.424
X-Terminator	170	SIE	FN	32.7	2,192	36.3	2,436	46,890	2.414
TAC	125	SIE	HP FN	38.0	2,570	42.2	2,856	46,690	2.300
TAC	150	SIE	FN	36.0	2,381	40.0	2,646	47,120	2.405
TAC	160	HDY	FTX	35.1	2,258	39.0	2,509	47,000	2.424
TAC	170	SIE	FN	34.5	2,220	38.3	2,467	46,120	2.414

308 Winchester

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
308 Winchester									
Barrel: 24" ■ Twist: 1-12" ■ Primer: FED 210 ■ Bullet Diameter .308"									
TAC	125	NOS	B-TIP	44.4	2,840	49.3	3,177	56,110	2.780
TAC	150	HDY	SP	41.9	2,598	46.5	2,887	57,500	2.720
TAC	150	SIE	HPBT	42.3	2,613	47.0	2,903	58,900	2.800
TAC	155	SIE	PALMA	41.7	2,593	46.3	2,881	58,440	2.810
TAC	165	HDY	SP	39.9	2,417	44.3	2,685	56,370	2.750
TAC	165	NOS	B-TIP	40.1	2,436	44.5	2,707	57,080	2.800
TAC	165	SIE	HPBT	40.2	2,539	44.7	2,775	61,454	2.770
TAC	168	SIE	HPBT	39.9	2,516	44.3	2,759	61,500	2.800
TAC	175	SIE	HPBT	39.2	2,403	43.5	2,650	58,900	2.800
TAC	180	HDY	SST	38.5	2,325	42.8	2,585	61,500	2.740
TAC	190	SIE	HPBT	37.4	2,295	41.5	2,525	61,200	2.800
Big Game	168	SIE	SBT	46.0	2,640	49.0	2,790	57,000	2.800
Big Game	180	SIE	SBT	44.0	2,500	47.0	2,650	58,000	2.800

Frangible Bullets

X-Terminator	125	SF	NTP	39.6	2,718	44.0	3,020	48,940	2.700
TAC	125	SF	NTP	41.6	2,723	46.2	3,025	47,220	2.700

RIFLE

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
30-06 Springfield									
Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN WLR ■ Bullet Diameter .308"									
TAC	110	SIE	HP	52.7	3,066	58.5	3,407	58,721	3.000
TAC	125	NOS	B-TIP	50.9	2,907	56.5	3,230	58,451	3.210
TAC	150	HDY	SST	45.5	2,595	50.5	2,883	58,261	3.230
TAC	150	BAR	TSX	45.5	2,623	50.5	2,914	59,501	3.260
Big Game	125	NOS	B-TIP	55.8	2,867	62.0	3,185	51,101	3.210
Big Game	150	HDY	SST	53.3	2,705	59.2	3,006	58,411	3.230
Big Game	150	BAR	TSX	54.6	2,734	60.7	3,038	57,731	3.260
Big Game	165	BAR	TSX	52.2	2,592	58.0	2,880	58,531	3.200
Big Game	168	SIE	HPBT	49.8	2,529	55.3	2,810	58,801	3.220
Big Game	175	SIE	HPBT	49.5	2,494	55.0	2,771	59,331	3.250
Big Game	180	HDY	SST	48.9	2,434	54.3	2,704	58,851	3.230
Big Game	180	BAR	TSX	51.5	2,486	57.2	2,762	58,091	3.200
Big Game	200	NOS	A-BOND	45.0	2,232	50.0	2,480	59,401	3.340
Big Game	200	BAR	TSX	47.7	2,300	53.0	2,555	58,321	3.200
Hunter	168	SIE	HPBT	56.3	2,588	62.5	2,876	55,691	3.220
Hunter	175	SIE	HPBT	55.8	2,540	62.0	2,822	56,081	3.250
Hunter	180	HDY	SST	54.0	2,460	60.0	2,733	54,591	3.230
Hunter	180	NOS	B-TIP	51.0	2,513	59.4	2,820	59,403	3.340
Hunter	180	SIE	SBT	51.6	2,527	60.0	2,852	59,468	3.335
Hunter	200	NOS	A-BOND	51.9	2,346	57.7	2,607	59,251	3.340
Hunter	220	SIE	HPBT	49.6	2,234	55.1	2,482	58,841	3.280
Hunter	180	BAR	TSX	54.0	2,505	60.0	2,783	57,311	3.200
Hunter	200	BAR	TSX	51.3	2,320	57.0	2,578	55,391	3.200

300 Remington Short Action Ultra Magnum (RSAUM)

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
300 Remington Short Action Ultra Magnum (RSAUM)									
Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 210 ■ Bullet Diameter .308"									
Hunter	150	NOS	B-TIP	61.0	2,840	67.0	3,100	61,200	2.820
Hunter	168	SIE	HPBT	58.0	2,700	64.5	3,000	63,500	2.825
Hunter	180	NOS	B-TIP	56.3	2,620	62.5	2,890	63,800	2.820
Hunter	200	SIE	HPBT	54.0	2,500	60.0	2,650	64,100	2.820

300 RCM

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
300 RCM									
Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN WLRM ■ Bullet Diameter .308"									
Big Game	150	BAR	TSX	59.4	2,882	66.0	3,202	60,650	2.800
Big Game	150	HDY	SST INTK	58.5	2,906	65.0	3,229	62,520	2.800
Big Game	165	BAR	TSX	55.2	2,712	61.3	3,013	62,110	2.800
Big Game	168	SIE	HPBT	56.3	2,725	62.5	3,028	61,836	2.800
Big Game	180	BAR	TSX	53.1	2,586	59.0	2,873	62,470	2.800
Big Game	180	SIE	HPBT	54.5	2,617	60.5	2,908	61,840	2.800
Big Game	200	NOS	A-BOND	52.7	2,466	58.5	2,740	62,090	2.800
Hunter	150	BAR	TSX	60.3	2,831	67.0	3,146	57,316	2.800
Hunter	150	HDY	SST INTK	60.3	2,850	67.0	3,167	57,420	2.800
Hunter	165	BAR	TSX	58.5	2,728	65.0	3,031	58,646	2.800
Hunter	168	SIE	HPBT	59.4	2,748	66.0	3,053	60,530	2.800
Hunter	180	BAR	TSX	56.7	2,588	63.0	2,875	57,810	2.800
Hunter	180	SIE	HPBT	58.5	2,678	65.0	2,975		



RIFLE

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
300 Winchester Magnum									
Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 215 ■ Bullet Diameter .308"									
Hunter	125	SIE	SPT	71.1	3,155	79.0	3,505	60,160	3.265
Hunter	150	NOS	B-TIP	66.3	2,937	73.7	3,263	61,450	3.340
Hunter	165	SIE	SBT	67.3	2,820	74.8	3,133	60,920	3.340
Hunter	180	SIE	HPBT	65.3	2,700	72.5	3,000	61,500	3.340
Magnum	150	HDY	SST	80.6	3,017	89.6	3,369	63,416	3.340
Magnum	150	SIE	SPBT	81.0	3,026	90.0	3,356	63,822	3.340
Magnum	165	NOS	A-BOND	78.2	2,860	86.8	3,195	62,645	3.340
Magnum	168	SIE	HPBT	79.0	2,882	87.8	3,180	63,736	3.340
Magnum	168	NOS	E-TIP	77.0	2,864	85.5	3,139	60,951	3.340
Magnum	175	SIE	HPBT	78.6	2,861	87.3	3,170	63,949	3.340
Magnum	180	BAR	MRX	75.7	2,731	86.0	3,096	60,572	3.340
Magnum	180	NOS	B-TIP	75.7	2,721	86.0	3,082	60,341	3.340
Magnum	180	NOS	E-TIP	75.4	2,712	83.8	3,025	61,343	3.340
Magnum	180	NOS	PART	75.4	2,777	83.8	3,065	63,677	3.340
Magnum	180	SIE	SBT	77.8	2,863	86.5	3,193	63,770	3.403
Magnum	185	BRG	VLD	76.3	2,761	84.7	3,092	61,532	3.340
Magnum	190	HDY	BTSP	77.4	2,817	86.0	3,117	63,451	3.340
Magnum	200	BAR	TTX	72.0	2,626	80.0	2,902	60,230	3.340
Magnum	200	NOS	PART	76.0	2,724	84.4	3,011	63,189	3.340
Magnum	210	BRG	VLD	74.7	2,646	83.0	2,951	62,318	3.340
Magnum	220	SIE	HPBT	72.8	2,580	80.9	2,868	63,412	3.340
Magnum	240	SIE	HPBT	68.8	2,448	76.4	2,709	63,809	3.470

Italics = Compressed

300 Weatherby Magnum

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 215 ■ Bullet Diameter .308"									
Magnum	155	SIE	PALMA	81.5	2,948	90.5	3,275	58,220	3.495
Magnum	165	NOS	PART	80.1	2,912	89.0	3,235	62,940	3.555
Magnum	180	BAR	X	77.9	2,759	86.5	3,066	60,410	3.560
Magnum	180	NOS	B-TIP	79.0	2,750	88.0	3,080	61,200	3.560
Magnum	200	SIE	HPBT	78.0	2,650	86.5	3,000	62,500	3.560
Magnum	220	SIE	HPBT	75.0	2,550	83.0	2,840	62,500	3.530

300 Remington Ultra Magnum (RUM)

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 215 ■ Bullet Diameter .308"									
Magnum	150	BAR	X	92.1	3,108	102.3	3,453	62,630	3.600
Magnum	150	HDY	SST INTK	91.4	3,076	101.5	3,418	59,580	3.585
Magnum	150	SIE	SBT	91.8	3,094	102.0	3,438	61,120	3.500
Magnum	165	NOS	PART	90.0	2,967	100.0	3,297	59,880	3.600
Magnum	168	HDY	A-MAX	90.3	2,991	100.3	3,323	63,710	3.590
Magnum	168	SIE	HPBT	92.5	3,120	102.8	3,467	62,180	3.535
Magnum	180	BAR	X	85.3	2,835	94.8	3,150	62,300	3.600
Magnum	180	HDY	BTSP INTK	87.8	2,903	97.5	3,226	62,480	3.565
Magnum	180	NOS	PART	86.4	2,894	96.0	3,216	62,400	3.575
Magnum	200	SIE	SBT	85.7	2,732	95.2	3,035	62,910	3.600
Magnum	220	SIE	HPBT	81.9	2,583	91.0	2,870	62,940	3.600

7.62x39mm Russian

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 20" ■ Twist: 1-9.5" ■ Primer: WIN WLR ■ Bullet Diameter .311"									
X-Terminator	123	HDY	SP	26.8	2,067	29.8	2,285	39,000	2.187
X-Terminator	125	SIE	SPT	26.7	2,040	29.7	2,250	38,500	2.165
X-Terminator	150	SIE	SPT	25.0	1,910	27.8	2,081	42,200	2.190

Italicized = Maximum loads are compressed - 108% to 110% loading density

303 British

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-9.5" ■ Primer: FED 210 ■ Bullet Diameter .311"									
TAC	150	SIE	SBT	40.0	2,450	44.0	2,680	46,900	3.075
TAC	174	SIE	HPBT	37.0	2,250	41.5	2,500	48,100	3.075
Big Game	150	SIE	SBT	43.6	2,450	48.5	2,740	47,100	3.075
Big Game	174	SIE	HPBT	41.0	2,320	45.0	2,550	47,200	3.075

7.5x55 Swiss GP31

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-9.5" ■ Primer: FED 210 ■ Bullet Diameter .308"									
TAC	150	HDY	BTSP	44.0	2,620	48.0	2,800	53,100	2.891
TAC	180	HDY	BTSP	41.0	2,350	45.0	2,600	53,900	2.910
Big Game	150	HDY	BTSP	48.0	2,640	53.0	2,870	52,500	2.875
Big Game	180	HDY	BTSP	45.0	2,450	50.0	2,700	54,000	2.910

RIFLE

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
8x57mm JS Mauser									
Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 210 ■ Bullet Diameter .323"									
TAC	150	HDY	SP	46.0	2,610	51.5	2,890	54,100	2.975
TAC	175	SIE	SPT	45.0	2,475	49.0	2,675	53,500	3.100
TAC	200	SIE	HPBT	41.0	2,275	45.5	2,500	54,200	3.115
Big Game	150	HDY	SP	51.0	2,690	56.0	2,910	53,800	2.975
Big Game	175	SIE	SPT	49.0	2,500	54.0	2,750	54,200	3.100
Big Game	200	NOS	A-BOND	45.0	2,330	50.0	2,550	54,000	3.115

325 Winchester Short Magnum (WSM)

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN WLRM ■ Bullet Diameter .323"									
Big Game	150	HDY	SP	65.0	2,985	72.5	3,315	61,900	2.820
Big Game	180	NOS	B-TIP	58.0	2,750	64.0	2,990	62,400	2.916
Big Game	200	SIE	HPBT	55.8	2,550	62.0	2,820	63,500	2.920
Big Game	220	SIE	SBT	53.0	2,450	59.0	2,670	62,500	2.876
Hunter	180	NOS	B-TIP	62.0	2,740	70.0	3,030	62,000	2.916
Hunter	200	SIE	HPBT	61.2	2,655	68.0	2,910	62,000	2.920
Hunter	220	SIE	SBT	60.0	2,590	67.0	2,780	63,800	2.876

8mm Remington Magnum

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 215 ■ Bullet Diameter .323"									
Magnum	200	NOS	SPT	82.0	2,700	91.0	3,050	63,000	3.600
Magnum	220	SIE	SBT	81.0	2,680	89.0	2,950	64,800	3.600

338 Federal

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 215 ■ Bullet Diameter .323"									
X-Terminator	185	BAR	TSX	43.0	2,520	47.8	2,757	60,000	2.783
X-Terminator	200	HDY	SP INTK	42.4	2,476	47.1	2,656	59,250	2.814
X-Terminator	215	SIE	SBT	39.9	2,349	44.3	2,532	59,875	2.800
X-Terminator	225	NOS	A-BOND	38.8	2,197	43.1	2,436	57,500	2.814
TAC	185	BAR	TSX	43.4	2,485	48.3	2,708	57,000	2.783
TAC	200	HDY	SP INTK	43.8	2,467	48.7	2,664	60,000	2.814
TAC	215	SIE	SBT	42.0	2,371	46.7	2,564	59,500	2.800
TAC	225	NOS	A-BOND	39.7	2,135	44.1	2,384	59,750	2.814

338 RCM

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN WLR ■ Bullet Diameter .338"									
TAC	180	NOS	A-BOND	51.3	2,688	57.0	2,987	64,330	2.816
TAC	185	BAR	MRX	50.6	2,621	56.2	2,912	62,280	2.847
TAC	210	BAR	TSX	47.9	2,409	53.2	2,677	63,540	2.816
Big Game	200	HDY	SP	56.7	2,577	63.0	2,863	57,870	2.816
Big Game	210	BAR	TSX	54.9	2,456	61.0	2,729	56,900	2.816
Big Game	225	BAR	MRX	53.1	2,392	59.0	2,658	58,820	2.830
Big Game	225	HDY	SP	54.5	2,417	60.5	2,685	60,170	2.834

338 Winchester Magnum

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 215 ■ Bullet Diameter .338"									
Big Game	180	NOS	A-BOND	66.6	2,849	74.0	3,166	61,945	3.315
Big Game	185	BAR	MRX	66.5	2,821	73.9	3,134	62,305	3.315
Big Game	200	NOS	A-BOND	65.0	2,714	72.2	3,015	62,085	3.340
Big Game	210	BAR	TSX	62.9	2,624	69.9	2,915	63,135	3.315
Big Game	225	BAR	MRX	62.7	2,544	69.7	2,827	62,135	3.340
Hunter	210	NOS	PART	65.9	2,620	73.2	2,911	61,395	3.340
Hunter	215	SIE	SBT	65.0	2,580	72.0	2,850	60,500	3.278
Hunter	225	BAR	MRX	65.9	2,640	73.3	2,837	61,495	3.340
Hunter	225	BAR	TSX	67.3					

RAMSHOT POWDERS



RIFLE

RIFLE

338 Remington Ultra Magnum (RUM)

Barrel: 24" ■ Twist: 1-10" ■ Primer: FED 215 ■ Bullet Diameter .338"

	Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Load Pressure (psi)	COL (inch)
Magnum	200	NOS	CT	95.0	3,012	105.0	3,280	62,500	3.580
Magnum	215	SIE	SBT	94.0	2,920	104.0	3,200	63,400	3.580
Magnum	225	NOS	A-BOND	90.0	2,780	100.0	3,075	63,800	3.580
Magnum	250	SIE	HPBT	86.0	2,600	96.0	2,970	62,500	3.580
Magnum	300	SIE	HPBT	80.0	2,400	89.0	2,700	62,700	3.580

35 Remington

Barrel: 24" ■ Twist: 1-9.5" ■ Primer: FED 210 ■ Bullet Diameter .358"

X-Terminator	200	SIE	RN SP	33.0	1,940	37.0	2,150	37,700	2.475
TAC	200	SIE	RN SP	36.0	1,960	40.0	2,150	38,500	2.475

375 Ruger

Barrel: 24" ■ Twist: 1-10" ■ Primer: WIN WLRM ■ Bullet Diameter .375"

Big Game	260	NOS	A-BOND	75.6	2,599	84.0	2,888	62,160	3.339
Big Game	270	WDL	WLCPP	71.1	2,483	79.0	2,759	61,130	3.307
Big Game	270	BAR	BD SLD	74.7	2,555	83.0	2,839	61,882	3.307
Big Game	300	BAR	TSX	68.0	2,311	75.5	2,568	61,651	3.304
Big Game	300	WDL	WLCPP	68.1	2,355	75.7	2,617	62,000	3.307
Big Game	300	NOS	PART	71.1	2,358	79.0	2,620	61,440	3.294
Big Game	300	BAR	BD SLD	71.4	2,413	79.3	2,681	61,480	3.304
Hunter	270	WDL	WLCPP	78.3	2,578	87.0	2,864	62,870	3.307
Hunter	270	BAR	BD SLD	78.3	2,561	87.0	2,845	57,530	3.307
Hunter	300	BAR	TSX	74.7	2,390	83.0	2,656	61,830	3.304
Hunter	300	NOS	PART	76.5	2,410	85.0	2,678	62,300	3.294
Hunter	300	WDL	WLCPP	75.6	2,448	84.0	2,720	63,490	3.307
Hunter	300	BAR	BD SLD	76.5	2,463	85.0	2,737	62,400	3.304

375 H&H Magnum

Barrel: 24" ■ Twist: 1-12" ■ Primer: FED 215 ■ Bullet Diameter .375"

TAC	200	SIE	HP FN	65.7	2,766	73.0	3,073	54,060	3.420
TAC	210	BAR	XFB	67.1	2,750	74.5	3,055	56,950	3.475
TAC	220	HDY	FP INTLK	63.9	2,660	71.0	2,955	58,740	3.315
TAC	235	BAR	XFB	67.1	2,635	74.5	2,928	59,250	3.595
TAC	250	BAR	XFB	61.4	2,445	68.2	2,717	57,930	3.560
TAC	300	NOS	CT FS	57.9	2,212	64.3	2,458	59,810	3.560
Big Game	250	SIE	SBT	71.5	2,561	79.4	2,845	54,970	3.600
Big Game	270	BAR	XFB	71.4	2,430	79.3	2,700	57,099	3.580
Big Game	270	HDY	SP INTK	69.1	2,432	76.8	2,702	53,080	3.570
Big Game	300	BAR	XFB	68.0	2,318	75.6	2,575	57,800	3.575
Big Game	300	SIE	SBT	67.5	2,333	75.0	2,592	57,870	3.600

375 Remington Ultra Magnum (RUM)

Barrel: 24" ■ Twist: 1-12" ■ Primer: WIN WLRM ■ Bullet Diameter .375"

Hunter	250	SIE	SBT	89.0	2,800	99.0	3,070	62,900	3.575
Hunter	300	SIE	SBT	83.0	2,580	92.0	2,820	62,800	3.585
Magnum	300	SIE	SBT	98.0	2,690	106.0	2,850	58,000	3.585

416 Remington Magnum

Barrel: 24" ■ Twist: 1-14" ■ Primer: WIN WLRM ■ Bullet Diameter .416"

TAC	400	HDY	RN	68.0	2,100	76.0	2,400	60,700	3.685
Big Game	400	HDY	RN	75.0	2,250	83.0	2,400	61,700	3.685

444 Marlin

Barrel: 24" ■ Twist: 1-38" ■ Primer: WIN WLR ■ Bullet Diameter .429"

X-Terminator	200	NOS	JHP	50.2	2,182	58.0	2,424	31,360	2.525
X-Terminator	240	HDY	CL-SIL	49.5	2,034	55.0	2,260	36,250	2.530
X-Terminator	240	SIE	JHC	49.5	2,048	55.0	2,275	36,180	2.530
X-Terminator	240	NOS	JHP	49.5	2,060	55.0	2,289	37,060	2.520
X-Terminator	265	HDY	FP	47.7	2,010	54.0	2,250	35,000	2.560
X-Terminator	300	HDY	XTP	45.0	1,811	50.0	2,012	39,750	2.530
TAC	240	HDY	CL-SIL	50.4	2,038	56.0	2,264	36,630	2.535
TAC	240	SIE	JHC	50.4	2,062	56.0	2,291	37,610	2.530
TAC	265	HDY	FP	49.5	2,042	55.0	2,245	37,250	2.560
TAC	300	HDY	XTP	45.9	1,810	51.0	2,011	39,990	2.530

45-70 Government (Standard Rifles less than 28,000 psi)

Barrel: 24" ■ Twist: 1-20" ■ Primer: WIN WLR ■ Bullet Diameter .458"

X-Terminator	300	SIE	HP FN	42.0	1,740	46.0	1,900	27,800	2.550
X-Terminator	350	HDY	RN	40.0	1,600	44.0	1,740	27,520	2.550
X-Terminator	400	SPR	FP	39.0	1,585	43.0	1,695	28,200	2.550
X-Terminator	500	HDY	RN	30.0	1,150	35.0	1,320	27,500	2.550

45-70 Government (Ruger No. 1 and 3 less than 40,000 psi)

Barrel: 24" ■ Twist: 1-20" ■ Primer: WIN WLR ■ Bullet Diameter .458"

X-Terminator	300	SIE	HP FN	56.0	2,100	62.0	2,250	38,550	2.550
X-Terminator	350	HDY	RN	49.0	1,750	54.0	1,900	39,100	2.550
X-Terminator	400	SPR	FP	46.0	1,665	51.8	1,885	39,000	2.550
X-Terminator	500	HDY	RN	40.0	1,450	44.0	1,550	38,500	2.550

458 Winchester Magnum

Barrel: 24" ■ Twist: 1-14" ■ Primer: FED 215 ■ Bullet Diameter .458"

X-Terminator	350	HDY	RN	72.0	2,250	80.0	2,550	56,000	2.950
X-Terminator	500	HDY	RN	65.0	1,900	72.0	2,150	57,500	3.310

550 Magnum

Barrel: 24" ■ Twist: 1-18" ■ Primer: WLRM ■ Bullet Diameter .550"

X-Terminator	700	GS	FN	101.7	2,091	113.0	2,323	60,900	3.790
X-Terminator	700	BAR	BDD SLD	97.2	2,060	108.0	2,289	62,320	3.735
TAC	700	AK	SPHJ	107.1	2,051	119.0	2,279	61,620	3.780
TAC	700	HWK	RN SP	104.4	2,030	116.0	2,256	61,370	3.715
TAC	700	BAR	BDD SLD	105.3	2,083	117.0	2,314	59,650	3.735
Big Game	800	HWK	RN SP	104.4	1,863	116.0	2,070	61,150	3.835

THE MOST POWERFUL LINE-UP OF RIFLE POWDERS



RAMSHOT



POWDERS

TIRED OF THE SAME OLD SWAB STORY?

Fouling and cleaning take a lot of the fun out of muzzleloading. With Blackhorn 209 you don't have to swab between shots, or worry about a crud ring in your barrel. It also delivers high velocities and amazing accuracy. Blackhorn 209 is undeniably the best powder in muzzleloading.



A High Performance Propellant for In-Line Muzzleloaders with 209 ignition

BLACKHORN209.COM




Another revolutionary product from Western Powders, Inc., Miles City, MT

HOT RODS

New from

MONTANA X-TREME™



The best cleaning rods on the market!

